



HOLEX CleverDrill HSS jobber drill set No. 114030 as a refill set, uncoated, Type: 1-6



Order data

Order number	115055 1-6
GTIN	4045197875457
Item class	12B

Description

Version:

Composed of jobber drills DIN 338.

HOLEX CleverDrill: Sturdy drills for all standard applications. Improved spot drilling behaviour due to cross-ground form. Standard core thickness and core taper. Profile ground. Surface: Bronze-coloured tempered helical flutes.

Note:

Size 13.2 – 20: With stepped shank \varnothing 12.7 mm.

Through-coolant: no

Shank: Plain shank

Drill range: 1 - 6 mm

Number of drills: 51

Incremental steps of drills: 0.1 mm

Technical description

Incremental steps of drills	0.1 mm
Drill range	1 - 6 mm
Shank	Plain shank
Number of drills	51
Number of cutting edges Z	2
Series	HOLEX CleverDrill
Coating	uncoated
Tool material	HSS

Standard	DIN 338
Type	N
Tolerance nominal Ø	h8
Point angle	130 degrees
Through-coolant	no
with case	no
Colour ring	without
Type of product	Jobber drill

Accessories

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 2,6 mm or inch	114030 2,6
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 2 mm or inch	114030 2
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 4,5 mm or inch	114030 4,5
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 4,1 mm or inch	114030 4,1
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 2,9 mm or inch	114030 2,9
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 5,4 mm or inch	114030 5,4
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 1,5 mm or inch	114030 1,5
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 2,1 mm or inch	114030 2,1
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 6 mm or inch	114030 6
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 4,6 mm or inch	114030 4,6
	114030 1,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,4 mm or inch

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4 mm or inch

114030 4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,9 mm or inch

114030 3,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4,2 mm or inch

114030 4,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,9 mm or inch

114030 1,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,7 mm or inch

114030 5,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,7 mm or inch

114030 3,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3 mm or inch

114030 3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
2,3 mm or inch

114030 2,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,3 mm or inch

114030 5,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4,9 mm or inch

114030 4,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,1 mm or inch

114030 5,1

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,5 mm or inch

114030 5,5

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,8 mm or inch

114030 5,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,6 mm or inch

114030 3,6

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,2 mm or inch

114030 1,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
2,8 mm or inch

114030 2,8

114030 1,6

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,6 mm or inch

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,8 mm or inch

114030 1,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,3 mm or inch

114030 1,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,5 mm or inch

114030 3,5

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4,7 mm or inch

114030 4,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
2,7 mm or inch

114030 2,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4,8 mm or inch

114030 4,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
2,4 mm or inch

114030 2,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,8 mm or inch

114030 3,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4,3 mm or inch

114030 4,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,1 mm or inch

114030 1,1

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,4 mm or inch

114030 3,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
2,2 mm or inch

114030 2,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,1 mm or inch

114030 3,1

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
4,4 mm or inch

114030 4,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
2,5 mm or inch

114030 2,5

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,2 mm or inch

114030 5,2

114030 3,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,2 mm or inch

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1 mm or inch

114030 1

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5 mm or inch

114030 5

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,9 mm or inch

114030 5,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
3,3 mm or inch

114030 3,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
1,7 mm or inch

114030 1,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
5,6 mm or inch

114030 5,6