

**HOLEX CleverDrill HSS jobber drill set No. 114030 as a refill set, uncoated,
Type: 6-10****Order data**

Order number	115055 6-10
GTIN	4045197875464
Item class	12B

Description**Version:**

Composed of jobber drills DIN 338.

HOLEX CleverDrill: Sturdy drills for all standard applications. Improved spot drilling behaviour due to cross-ground form. Standard core thickness and core taper. Profile ground. Surface: Bronze-coloured tempered helical flutes.

Note:

Size 13.2 – 20: With stepped shank Ø 12.7 mm.

Through-coolant: no

Shank: Plain shank

Drill range: 6 - 10 mm

Number of drills: 41

Incremental steps of drills: 0.1 mm

Technical description

Shank	Plain shank
Incremental steps of drills	0.1 mm
Number of drills	41
Drill range	6 - 10 mm
Number of cutting edges Z	2
Series	HOLEX CleverDrill
Coating	uncoated
Tool material	HSS

Standard	DIN 338
Type	N
Tolerance nominal Ø	h8
Point angle	130 degrees
Through-coolant	no
with case	no
Colour ring	without
Type of product	Jobber drill

Accessories

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 9 mm or inch	114030 9
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 6 mm or inch	114030 6
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 7,5 mm or inch	114030 7,5
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 9,4 mm or inch	114030 9,4
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 6,1 mm or inch	114030 6,1
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 8,2 mm or inch	114030 8,2
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 6,5 mm or inch	114030 6,5
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 6,6 mm or inch	114030 6,6
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 7,9 mm or inch	114030 7,9
HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch) 10 mm or inch	114030 10
	114030 8,5

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,5 mm or inch

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,3 mm or inch

114030 7,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,7 mm or inch

114030 8,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,4 mm or inch

114030 8,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,8 mm or inch

114030 9,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,6 mm or inch

114030 7,6

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,9 mm or inch

114030 8,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,3 mm or inch

114030 9,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,7 mm or inch

114030 7,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,5 mm or inch

114030 9,5

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
6,9 mm or inch

114030 6,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,2 mm or inch

114030 9,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
6,2 mm or inch

114030 6,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,3 mm or inch

114030 8,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,1 mm or inch

114030 7,1

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8 mm or inch

114030 8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,1 mm or inch

114030 9,1

114030 8,6

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,6 mm or inch

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,2 mm or inch

114030 7,2

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,4 mm or inch

114030 7,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
6,4 mm or inch

114030 6,4

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
6,3 mm or inch

114030 6,3

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,7 mm or inch

114030 9,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,6 mm or inch

114030 9,6

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7,8 mm or inch

114030 7,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
6,8 mm or inch

114030 6,8

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
7 mm or inch

114030 7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
9,9 mm or inch

114030 9,9

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
6,7 mm or inch

114030 6,7

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,1 mm or inch

114030 8,1

HOLEX CleverDrill HSS jobber drill N Ø DC h8 (mm or inch)
8,8 mm or inch

114030 8,8