

Solid carbide side milling cutter HPC, TiAIN, Ø×width ± 0.1×k11: 40X5 mm



Order data

Order number	185015 40X5
GTIN	4062406397333
Item class	11V

Description

Version:

Precision solid carbide side milling cutters in the HPC machining range. **With new high-performance coating** for very long tool life.

Use as a set: Cutters with the same \emptyset and same number of teeth can be combined as a set and adjusted to the required width. Since the cutters have no raised bore collar, the staggered teeth mesh with each other.

2-piece sets are particularly economical. By reversing the side milling cutters, both side edges of each cutter can be used.

Note:

- Do not clamp the cutters in a set without a sufficiently thick arbor spacer ring, otherwise the cutters will be damaged.
- See Product Group 30 for suitable arbor spacer rings.
- · Slots milled from solid: f_z for $a_e = 0.1 \times D$.

Successor product to No. 185010.

Bore \emptyset H6 d₁: 13 mm No. of teeth Z: 12

Collar thickness b ±0.1: 3.2 mm

Collar \emptyset d₂ ±1: 28 mm Tooth height Zh: 61 mm Capability of combining 2 cutters of the same width A/B: 5 mm

Technical description

5 mm
0.03 mm
3.2 mm
5 mm
9.1 - 9.8 mm
12
6 mm
13 mm
5 mm
28 mm
10.1 - 10.8 mm
40 mm
with bore
61 mm
TiAIN
Solid carbide
DIN 885 A
N
± 0.1
Full slot cutting depth 1×D
HPC
no
without
Side milling cutter

