

## Garant

### GARANT Master Titan solid carbide end torus cutter HPC, TiAlN, Ø h9 DC: 6 mm



#### Order data

Order number	206286 6
GTIN	4045197991706
Item class	11Z

#### Description

##### Version:

Tolerance: Corner radius  $R_1 = \pm 0.01$  mm.

Special centre cutting edge geometry for traverse milling at very high feed rates.

##### Application:

**For copy and traverse milling** of titanium under HPC conditions.

Using special milling strategies **very high rates of metal removal can be achieved.**

##### Note:

Regrinding not recommended.

No. of teeth Z: 4

No. of teeth Z: 4

Dimension  $a_{p\max}$  transverse: 0.4 mm

Programming radius: 1 mm

Flute length  $L_c$ : 3.5 mm

Overhang length  $L_1$  incl. recess: 20 mm

Recess  $\varnothing D_1$ : 5.2 mm

#### Technical description

Shank $\varnothing D_s$	6 mm
Overall length L	65 mm
Cutting edge $\varnothing D_c$	6 mm
No. of teeth Z	4
Flute length $L_c$	3.5 mm

Overhang length $L_1$ incl. recess	20 mm
Recess $\varnothing D_1$	5.2 mm
Feed $f_z$ for copy milling in titanium $> 850 \text{ N/mm}^2$	0.082 mm
Programming radius	1 mm
Dimension $a_{p \text{ max}}$ transverse	0.4 mm
Setting angle $\kappa$	12.5 degrees
Series	GARANT Master Titan
Coating	TiAlN
Tool material	Solid carbide
Standard	Manufacturer's standard
Type	N
Tolerance nominal $\varnothing$	h9
Helix angle	15 degrees
Direction of infeed	horizontal, oblique and vertical
Cutting width $a_e$ for milling operation	$0.05 \times D$ for copy milling
Shank	DIN 6535 HA to h6
Through-coolant	no
Machining strategy	HPC
Colour ring	pink
Type of product	End mill

## Services

Shank grinding Type HB	129100 HB
------------------------	-----------