


ER collet chuck mini / slim Form AD, SK 40 A = 100, for ER collet size: 11 ER

Order data

| | |
|--------------|---------------|
| Order number | 300651 11 |
| GTIN | 4062406422295 |
| Item class | 32A |

Description
Version:

Clamping nut fine balanced **for HSC**. ER11 through bored. Shanks hard turned (smooth cutting action!).

· **With Balluffchip bore as standard.**

Application:

For clamping tools with plain shank to DIN 6499.

Supplied with:

High speed ER mini nut No. 309650.

Optional extras:

ER collets No. 308881 – 309434, ER lock wrench No. 309740.

Pull studs (PS) No. 308600 – 308806. PS chuck key No. 308820; 308830.

Machining strategy: HSC

Clamping range: 0.5 - 7 mm

External Ø D: 16 mm

Suitable chuck key No. 309740: 11

Technical description

| | |
|-------------------------------|------------|
| Usable length L _N | 70 mm |
| Clamping range | 0.5 - 7 mm |
| for ER collets | 11 mm |
| Suitable chuck key No. 309740 | 11 |
| External Ø D | 16 mm |

| | |
|---------------------------------------|---------------------|
| Adapter | SK 40 A = 100 |
| Arbor standard | ISO 7388-1 |
| Shape | AD |
| Balance quality G at rotational speed | G 6.3 at 18,000 rpm |
| Concentricity | ≤ 3 µm |
| Machining strategy | HSC |
| Type of product | Collet chuck |

Accessories

| | |
|---|------------|
| Pull stud sealed suitable for steep tapers 40 | 308660 40 |
| ER collet Nominal clamping Ø d 1 mm | 308881 1 |
| ER collet HP Nominal clamping Ø d 7 mm | 309368 7 |
| Special pull stud with no internal thread sealed suitable for steep tapers 40 | 308700 40 |
| Wrench for ER Mini nuts for ER collet chuck 11 | 309740 11 |
| Pull stud 45° sealed suitable for steep tapers 40 | 308760 40 |
| Pull stud 45° sealed suitable for steep tapers 40 | 308765 40 |
| ER collet Nominal clamping Ø d 7 mm | 308918 7 |
| ER collet Nominal clamping Ø d 1,5 mm | 308881 1,5 |
| ER collet set 15 pieces 2–16 mm | 309240 |
| Pull stud Form A suitable for steep tapers 40 | 308600 40 |
| Special pull stud with internal thread suitable for steep tapers 40 | 308740 40 |
| ER collet HP with seal Nominal clamping Ø d 6 mm | 309369 6 |
| ER chuck key 1/2 inch socket for ER collet chuck 40 | 309700 40 |
| ER collet Nominal clamping Ø d 3,5 mm | 308881 3,5 |
| Pull stud Mori-Seiki, sealed, form A suitable for steep tapers 40 | 308625 40 |
| ER collet with seal Nominal clamping Ø d 3 mm | 308882 3 |

| | |
|--|------------|
| ER collet Nominal clamping Ø d 7 mm | 308881 7 |
| ER collet HP Nominal clamping Ø d 1 mm | 309368 1 |
| ER collet Nominal clamping Ø d 5 mm | 308881 5 |
| ER collet HP with seal Nominal clamping Ø d 3 mm | 309369 3 |
| Pull stud 90° sealed suitable for steep tapers 40 | 308795 40 |
| Pull stud Hurco 45° with bore and fit sealed suitable for steep tapers 40 | 308801 40 |
| ER collet HP with seal Nominal clamping Ø d 5 mm | 309369 5 |
| Pull stud sealed, form B suitable for steep tapers 40 | 308620 40 |
| ER collet Nominal clamping Ø d 5 mm | 308918 5 |
| Pull stud, 18CrNiMo7 sealed, form B suitable for steep tapers 40 | 308615 40 |
| Pull stud 60° sealed suitable for steep tapers 40 | 308785 40 |
| Pull stud stud sealed, form A suitable for steep tapers 40 | 308610 40 |
| Pull stud sealed suitable for steep tapers 40 | 308635 40 |
| ER collet with seal Nominal clamping Ø d 4 mm | 308882 4 |
| Wrench for pull studs ISO 7388 suitable for ISO taper size 40 | 308830 40 |
| ER collet Nominal clamping Ø d 1 mm | 308918 1 |
| ER collet Nominal clamping Ø d 2 mm | 308881 2 |
| Pull stud 90° sealed suitable for steep tapers 40 | 308790 40 |
| ER collet Nominal clamping Ø d 3 mm | 308918 3 |
| ER collet with seal Nominal clamping Ø d 5 mm | 308882 5 |
| ER collet Nominal clamping Ø d 6 mm | 308918 6 |
| Special pull stud with no internal thread sealed suitable for steep tapers 40 | 308720 40 |
| ER collet with seal Nominal clamping Ø d 6 mm | 308882 6 |
| ER collet Nominal clamping Ø d 4,5 mm | 308881 4,5 |
| Wrench for pull studs DIN ISO 7388-1 (formerly DIN 69872) suitable for ISO taper size 40 | 308820 40 |
| ER collet HP with seal Nominal clamping Ø d 4 mm | 309369 4 |

| | |
|--|------------|
| Pull stud Hurco 90° with fit sealed suitable for steep tapers 40 | 308806 40 |
| ER collet set 7 pieces 1–7 mm | 309155 |
| ER collet HP Nominal clamping Ø d 2 mm | 309368 2 |
| ER collet Nominal clamping Ø d 4 mm | 308918 4 |
| Torque insert for Pull studs to DIN 69872 suitable for ISO taper size 40 | 308810 40 |
| ER collet Nominal clamping Ø d 2,5 mm | 308881 2,5 |
| ER chuck key for ER collet chuck 40 | 309680 40 |
| ER collet Nominal clamping Ø d 5,5 mm | 308881 5,5 |
| ER collet Nominal clamping Ø d 2 mm | 308918 2 |
| Pull stud sealed, form B suitable for steep tapers 40 | 308650 40 |
| ER collet set 13 pieces 1–7 mm | 309010 |
| ER collet Nominal clamping Ø d 3 mm | 308881 3 |
| ER collet HP Nominal clamping Ø d 4 mm | 309368 4 |
| Pull stud Mazak sealed, form A suitable for steep tapers 40M | 308670 40M |
| Pull stud, 18CrNiMo7 Form A suitable for steep tapers 40 | 308605 40 |
| ER collet HP Nominal clamping Ø d 6 mm | 309368 6 |
| ER collet HP Nominal clamping Ø d 5 mm | 309368 5 |
| Torque insert for Pull studs to SO 7388 suitable for ISO taper size 40 | 308812 40 |
| Pull stud Form B suitable for steep tapers 40 | 308640 40 |
| ER collet Nominal clamping Ø d 6 mm | 308881 6 |
| Pull stud Hurco 45° with fit sealed suitable for steep tapers 40 | 308802 40 |
| ER collet Nominal clamping Ø d 6,5 mm | 308881 6,5 |
| ER collet Nominal clamping Ø d 4 mm | 308881 4 |
| Pull stud Mori-Seiki, sealed, form A suitable for steep tapers 40 | 308630 40 |
| ER collet HP Nominal clamping Ø d 3 mm | 309368 3 |