

Three-jaw lathe chuck with recessed cast-iron mount, DIN 702-4, External \varnothing A: 160 mm



Order data

| Order number | 312906 160 |
|--------------|---------------|
| GTIN | 4062406154523 |
| Item class | 32W |

Description

Version:

- · Manual chucks with gear scroll, centrically clamping.
- · Body made of cast iron or steel.
- Gear scroll drop-forged, balanced, and hardened.
- · Flanks of scroll and of jaw serrations are ground.
- · High concentricity, more precise than DIN 6386 requirement.

Application:

For machine spindles with recessed centring mount or for mounting using a flange. The chuck is secured from the rear by means of screws. The flange blanks must always be fitted first to the machine and then to the chuck.

Standard:

DIN 702-4.

Supplied with:

Includes: 1 set = 3 hardened inside jaws, stepped on the outside.

1 set = 3 hardened outside jaws, stepped on the inside.

1 clamping wrench and fastening screws or studs depending on the chuck.

Optional extras:

Spare and additional jaws No. 312971 – 312986.

Colour code for accessories: HOLEX geared scroll chucks and jaws

Aperture E: 42 mm

Height without jaws H_1 : 64.5 mm Height with jaws H_2 : 96.5 mm

Centring Ø B: 125 mm Centring depth C: 4 mm

Weight: 10 kg

Technical description

| Centring ∅ B | 125 mm |
|------------------------------------|-------------------------------------|
| Height with jaws H ₂ | 96.5 mm |
| Aperture E | 42 mm |
| Weight | 10 kg |
| External Ø A | 160 mm |
| Height without jaws H ₁ | 64.5 mm |
| maximum speed | 3600 rpm |
| Centring depth C | 4 mm |
| Standard | DIN 702-4 |
| Material | Cast iron |
| Colour code for accessories | HOLEX geared scroll chucks and jaws |
| Type of product | Gear scroll chucks |

Accessories

| Scroll jaw set, 3 pieces, soft for chuck type 160 | 312971 160 |
|---|------------|
| Outside jaw set 3-piece, hardened for chuck type 160 | 312990 160 |
| Base jaw set 3-piece, hardened for chuck type 160 | 312975 160 |
| Inside jaw set, 3 pieces, hardened for chuck type 160 | 312986 160 |
| Base jaw set, 3 pieces, hardened for chuck type 160 | 312976 160 |
| Scroll jaw set 3 pieces, soft for chuck type 160 | 312970 160 |
| Top jaw set, 3 pieces, soft for chuck type 160 | 312981 160 |
| Top jaw set 3-piece, soft for chuck type 160 | 312980 160 |

| Inside jaw set 3-piece, hardened for chuck type 160 | 312985 160 |
|--|------------|
| Outside jaw set, 3 pieces, hardened for chuck type 160 | 312991 160 |
| Workpiece backstop Height h 15 mm | 313033 15 |
| Workpiece back-stop, base module Height h 15 mm | 313036 15 |