HOLEX

Three-jaw lathe chuck with recessed cast-iron mount, DIN 702-4, External Ø A: 80 mm



Order data

Order number	312906 80
GTIN	4062406153885
Item class	32W

Description

Version:

- Manual chucks with gear scroll, centrically clamping.
- · Body made of cast iron or steel.
- · Gear scroll drop-forged, balanced, and hardened.
- · Flanks of scroll and of jaw serrations are ground.

· High concentricity, more precise than DIN 6386 requirement.

Application:

For machine spindles with recessed centring mount or for mounting using a flange. The chuck is secured from the rear by means of screws. The flange blanks must always be fitted first to the machine and then to the chuck.

Standard:

DIN 702-4.

Supplied with:

Includes: 1 set = 3 hardened inside jaws, stepped on the outside.

1 set = 3 hardened outside jaws, stepped on the inside.

1 clamping wrench and fastening screws or studs depending on the chuck.

Optional extras:

Spare and additional jaws No. 312971 – 312986.

Colour code for accessories: HOLEX geared scroll chucks and jaws

Aperture E: 16 mm Height without jaws H_1 : 44 mm Height with jaws H_2 : 57 mm Centring Ø B: 56 mm Centring depth C: 3 mm Weight: 1.5 kg

Technical description

External Ø A	80 mm
Centring depth C	3 mm
Height with jaws H_2	57 mm
Height without jaws H ₁	44 mm
maximum speed	5000 rpm
Centring Ø B	56 mm
Weight	1.5 kg
Aperture E	16 mm
Standard	DIN 702-4
Material	Cast iron
Colour code for accessories	HOLEX geared scroll chucks and jaws
Type of product	Gear scroll chucks

Accessories

Scroll jaw set 3 pieces, soft for chuck type 80	312970 80
Outside jaw set, 3 pieces, hardened for chuck type 80	312991 80
Scroll jaw set, 3 pieces, soft for chuck type 80	312971 80
Workpiece backstop Height h 15 mm	313033 15
Inside jaw set, 3 pieces, hardened for chuck type 80	312986 80
Inside jaw set 3-piece, hardened for chuck type 80	312985 80
Workpiece back-stop, base module Height h 15 mm	313036 15
Outside jaw set 3-piece, hardened for chuck type 80	312990 80