

Garant
Pre-setting device, Type: VGBASIC

Order data

Order number	355010 VGBASIC
GTIN	4062406229764
Item class	31E

Description
Version:

- **10 inch touch screen, with Windows 10 operating system.**
- **Focus on intuitive and extremely easy operation.**
- **Fine adjustment of both axes (X/ Z).**
- **Precise SK 50 needle-bearing taper.**
- **Compressed air connection at least 5 bar.**

Application:

For measuring and pre-setting tools at the machine or production island.

Supplied with:

SK 50 needle-bearing taper, measurement software in all major foreign languages and 3 metres of coiled compressed air hose with 1/4 inch coupling connector.

Optional extras:

- **Sub-frame cupboard No. 354767.**
- **Reducers No. 354771; 354773; 354775; 354777; 354779.**
- **Label printer No. 085505 size LW450.**
- **Labels No. 085565.**
- **Calibration mandrel No. 355105 size 90 (if using SK 50 tools).**
- **Spindle clamping No. 355102 size 1.**
- **Cutting edge cleaner No. 354788.**
- **Cover No. 354789 size 1.**

Base toolholder: SK 50

Quick adjustment: pneumatic

Measurement process: Image processing 10 inch touch screen

Measurement control: PC measurement electronics

Measuring accuracy: 0.01 mm

Measuring range X: 400 mm

Technical description

Depth	260 mm
Width base	580 mm
Height	710 mm
Spindle load	50 kg
Measuring range Z	400 mm
Weight	40 kg
Measuring range X	400 mm
Quick adjustment	pneumatic
Measurement process	Image processing 10 inch touch screen
Measurement control	PC measurement electronics
Overall width	975 mm
Base toolholder	SK 50
Power supply	100-230 V / 50-60 Hz
Measuring accuracy	0.01 mm
Power supply	Mains operated
Type of product	Setting master

Accessories

Label printer LabelWriter Type LW450	085505 LW450
Address label set, white Label width×label height 25X54 mm	085565 25X54
Base cabinet for pre-setting device Width 1500 mm	354767 1500
Spindle clamping Type 1	355102 1

Calibration mandrel SK 50 Length 90 mm

355105 90