



## Socket set 1/4 inch square drive 38 pieces, Number of pieces: 38



### Order data

Order number	630331 38
GTIN	4000896233380
Item class	630

### Description

#### Version:

**Drives / accessories to DIN 3122 / 3123; sockets to DIN 3124.** Internal / external square drives to **DIN 3120.**

#### Application:

For external hexagon screws / nuts with thread M3 – M8 and for hexagon socket head screws with thread M4 – M8.

For Pozidriv and Phillips screws with thread M2 – M6, slot-head screws with thread M3 – M5 and for internal Torx® with thread M3 – M8.

#### Supplied with:

Sockets for external hexagon: 10 pcs. size 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm

Bits, C 6.3, for hex socket: 5 pcs. size 3; 4; 5; 6; 7 mm

Bits, C 6.3 for internal TORX® with pin: 7 pcs. size TX10; TX15; TX20; TX25; TX27; TX30; TX40

Bits, C 6.3, for Phillips: 3pcs. size 1; 2; 3

Bits, C 6.3, for Pozidriv: 3pcs. size 1; 2; 3

Bits, C 6.3, for slot-head: 3 pcs. size 4.5×0.6; 6.5×1.2; 8×1.2 mm

Holder for bits: 1 pc. 1/4 inch square socket – bit holder 1/4 inch

Converter: 1 pc. bit shank E 6.3 – square 1/4 inch

Spinner handle: 1 pc.

Extensions: 2 pcs. size 55, 101.5 mm

Universal joint: 1 pc.

Ratchet: 1 pc. No. 632389 size 1/4

Presented in: Plastic case with non-slip 2-component coating

Height: 52 mm  
 Square drive: 1/4 inch  
 Width across flats range, hexagon sockets: 5.5-14 mm  
 Width across flats range, hexagon wrenches: 3-7 mm

## Technical description

Number of pieces	38
Drive profile	Screwdriver for TORX® screws with hole
Drive profile	Slot-head screwdriver
Drive profile	Hexagon screwdriver
Drive profile	Hexagon socket
Drive profile	Tri-square screwdriver
Drive profile	Pozidriv screwdriver
Width across flats range, hexagon sockets	5.5-14 mm
Square drive	1/4 inch
Width across flats range, hexagon wrenches	3-7 mm
Packaging	Plastic case with non-slip 2-component coating
Length	180 mm
Width	98 mm
Height	52 mm
Type of product	Socket spanner

## Accessories

Reversible precision ratchet, 1/4 inch Type 1/4	632389 1/4
---	------------