Cordless hammer drill / driver without battery or charger, Type: M18FPD2-2

Order data

Order number	070111 M18FPD2-2
GTIN	4058546222086
Item class	03L

Description

Version:
- **Powerful cordless 2-speed hammer drill /screwdriver with multi-stage torque setting.**
- **REDLITHIUM-ION™ Red Li-ion batteries with single-cell monitoring and charge display.**
- **Sturdy metal gearbox for long working life.**
- **FIXTEC metal quick-change chuck with spindle lock.**
- **Handle with Softgrip coating for comfortable use.**
- **LED illumination of the working area.**
- **Brushless POWERSTATE™-motor (not size M18BPD4) for very high efficiency. Very low wear and up to 10 times the working life of standard DC motors.**
- **REDLINK PLUS™ electronics overload protection and power management.**

Low-maintenance, brushless Powerstate motor.
Feature:
Low-maintenance, brushless Powerstate motor.
Supplied with:
Zero version – without battery, charger or transport case, with belt clip.
Note:
Suitable Bluetooth tracking modules can be found in the online shop under No. 070103 TICK.
See No. 073814 et seqq. and 073840 for suitable batteries and chargers, and a suitable battery starter set can be found under No. 073839.
Packaging: Modular case (HD=Heavy Duty)

suitable battery - supplier / battery type / voltage: Milwaukee type B 18 V
Manufacturer's designation: M18FPD2-0X
Type of rechargeable battery: Lithium-ion
Battery capacity: 2 Ah
Battery voltage: 18 V
Motor design: FUEL™
maximum torque: 135 Nm

Technical description

maximum speed 2nd speed	2000 rpm
maximum twist drill size ∅ in wood	89 mm
Weight	2.1 kg
Packaging	Modular case (HD=Heavy Duty)
suitable battery - supplier / battery type / voltage	Milwaukee type B 18 V
maximum twist drill size ∅ in concrete	16 mm
Battery voltage	18 V
Battery capacity	2 Ah
Quick-clamping chuck range	1.5 - 13 mm
typical application	Heavy Duty
maximum twist drill size ∅ in steel	16 mm
Manufacturer's designation	M18FPD2-0X
Motor design	FUEL™
maximum speed 1st speed	0 - 550 rpm
maximum vibration to EN without hammer drill function	1.33 m/s^2
maximum torque	135 Nm
maximum vibration to EN with hammer drill function	13.2 m/s^2
Type of rechargeable battery	Lithium-ion
Power supply	Rechargeable battery-powered
Type of product	Iimpact drill /screwdriver

Accessories

Li-ion system M18B2 Battery type, battery voltage MB18 V	073827 MB18
Battery charger Type M1218C	073840 M1218C
Battery charger Type M1218FC	073840 M1218FC