



Cordless 4-speed drill / driver, Type: 71161264



Order data

Order number	070200 71161264
GTIN	4014586889900
Item class	03F

Description

Version:

Cordless drill / driver

- For precise drilling and screw tightening results.
- Electronic speed control for smooth, safe starts to drilling and screw driving; reversible.
- Sturdy metal gearbox for long working life.
- Good weight balance and ergonomics with softgrip inserts for non-tiring continuous work.
- Li-ion batteries with high current capability, single-cell monitoring, and capacity display.

Cordless 4-speed drill / driver with brushless EC motor

- Extremely powerful drill / driver with high concentricity.
- Maintenance-free brushless EC motor with 30% higher efficiency than DC motors, and high speed stability.
- Very low wear and up to 10 times the working life of standard DC motors.
- The high efficiency and the increased battery capacity permit up to 50 % longer operating times.
- Patented 4-speed gearbox with direct drive for positive screw tightening, drilling at optimised speed, together with thread tapping.
- Multi-stage torque setting adjustable in 15 steps, additional drilling step.

With removable **QuickIN quick-change drill chuck** and **carbide-coated jaws**.

Supplied with:

Including drill chuck, waist clip, transport case. **Without battery and without charger.**

Attention:

German version. Order free UK adapter plug No. 08 1172_GB.

Note:

See from No. 073834 and No. 073845 for suitable replacement batteries and chargers.

Packaging: Carrying case

suitable battery - supplier / battery type / voltage: Fein type E 18 V

Manufacturer's designation: ASCM 18 QSW Select

Motor design: Brushless motor

Number of rechargeable batteries contained: 0

Type of rechargeable battery: Lithium-ion

Battery voltage: 18 V

maximum torque soft: 20 Nm

Technical description

Packaging	Carrying case
Weight	1.2 kg
typical application	Heavy Duty
Manufacturer's designation	ASCM 18 QSW Select
Motor design	Brushless motor
maximum speed 3rd speed	1400 rpm
Battery voltage	18 V
maximum speed 2nd speed	700 rpm
maximum vibration to EN	<2.5 m/s ²
maximum twist drill size Ø in wood	40 mm
maximum torque soft	20 Nm
maximum speed 4th speed	2500 rpm
maximum speed 1st speed	400 rpm
suitable battery - supplier / battery type / voltage	Fein type E 18 V
Quick-clamping chuck range	1.5 - 13 mm
maximum twist drill size Ø in steel	13 mm
maximum torque hard	40 Nm
Number of rechargeable batteries contained	0

Type of rechargeable battery	Lithium-ion
Power supply	Rechargeable battery-powered
Type of product	Screwdriver

Accessories

Li-ion battery Rechargeable battery type, battery voltage FE18 V	073835 FE18
Battery charger Type FE80	073845 FE80
Battery starter set Type 9260430701	073832 9260430701
Battery starter set Type 9260431401	073832 9260431401