



## Cordless drill / driver, Type: M12FDD2



### Order data

Order number	070210 M12FDD2
GTIN	4058546029883
Item class	03L

### Description

#### Version:

#### MILWAUKEE – Cordless power drill

Powerful cordless 2-speed drill / driver, reversible. Red Li-ion batteries with **single-cell monitoring** and **charge display**.

Sturdy **metal gearbox** for long working life.

**FIXTEC -metal quick-change chuck** with spindle lock.

LED illumination of the working area. Handle with Softgrip coating for comfortable use.

- **Brushless POWERSTATE™ motor for more power and a compact shape (168 mm in length).**
- **REDLINK PLUS™ electronics for intelligent power management and overload protection.**
- **16-step electronic torque limit setting, plus drill steps.**

#### Supplied with:

Supplied with 2 × 12 V / 2.0 Ah Li-ion batteries, charger, belt clip, HD box.

#### Note:

See No. 073815 ff and 073840 for suitable spare batteries and chargers.

Packaging: Modular case (HD=Heavy Duty)

suitable battery - supplier / battery type / voltage: Milwaukee type B 12 V

Manufacturer's designation: M12 FDD

Motor design: Brushless motor

Battery capacity: 2 A·h

Battery voltage: 12 V  
 maximum torque hard: 37 N·m  
 maximum speed 1st speed: 0 - 450 rpm

## Technical description

Weight	1.2 kg
maximum twist drill size Ø in steel	13 mm
maximum twist drill size Ø in wood	35 mm
maximum vibration to EN	< 2.5 m/s <sup>2</sup>
typical application	Strong
Battery capacity	2 Ah
Quick-clamping chuck range	1.5 - 13 mm
maximum speed 2nd speed	1700 rpm
suitable battery - supplier / battery type / voltage	Milwaukee type B 12 V
maximum speed 1st speed	0 - 450 rpm
maximum torque hard	37 Nm
Packaging	Modular case (HD=Heavy Duty)
Manufacturer's designation	M12 FDD
Motor design	Brushless motor
Battery voltage	12 V
Number of rechargeable batteries contained	2
Type of rechargeable battery	Lithium-ion
Power supply	Rechargeable battery-powered
Type of product	Screwdriver

## Accessories

Battery charger Type M1218C	073840 M1218C
Li-ion system M4B2/M12B2 Rechargeable battery type, battery voltage MB12 V	073814 MB12

Battery charger Type M1218FC	073840 M1218FC
Offset screwdriving attachment Type OSD2	073920 OSD2
Offset screwdriving attachment Type WB1	073920 WB1