



## Cordless drill / driver, Type: M12FDD6



### Order data

|              |                |
|--------------|----------------|
| Order number | 070210 M12FDD6 |
| GTIN         | 4058546029920  |
| Item class   | 03L            |

### Description

#### Version:

#### MILWAUKEE – Cordless power drill

Powerful cordless 2-speed drill / driver, reversible. Red Li-ion batteries with **single-cell monitoring** and **charge display**.

Sturdy **metal gearbox** for long working life.

**FIXTEC -metal quick-change chuck** with spindle lock.

LED illumination of the working area. Handle with Softgrip coating for comfortable use.

- **Brushless POWERSTATE™ motor for more power and a compact shape (168 mm in length).**
- **REDLINK PLUS™ electronics for intelligent power management and overload protection.**
- **16-step electronic torque limit setting, plus drill steps.**

#### Supplied with:

Supplied with 2 × 12 V / 6.0 Ah Li-ion batteries, charger, belt clip, HD box.

#### Note:

See No. 073815 ff and 073840 for suitable spare batteries and chargers.

Packaging: Modular case (HD=Heavy Duty)

suitable battery - supplier / battery type / voltage: Milwaukee type B 12 V

Manufacturer's designation: M12 FDD

Motor design: Brushless motor

Battery capacity: 6 A·h

Battery voltage: 12 V  
 maximum torque hard: 44 N·m  
 maximum speed 1st speed: 0 - 450 rpm

## Technical description

|                                                      |                              |
|------------------------------------------------------|------------------------------|
| Manufacturer's designation                           | M12 FDD                      |
| Battery capacity                                     | 6 Ah                         |
| Quick-clamping chuck range                           | 1.5 - 13 mm                  |
| maximum speed 1st speed                              | 0 - 450 rpm                  |
| typical application                                  | Strong                       |
| Battery voltage                                      | 12 V                         |
| suitable battery - supplier / battery type / voltage | Milwaukee type B 12 V        |
| maximum twist drill size Ø in wood                   | 35 mm                        |
| maximum torque hard                                  | 44 Nm                        |
| maximum speed 2nd speed                              | 1700 rpm                     |
| Motor design                                         | Brushless motor              |
| maximum vibration to EN                              | < 2.5 m/s <sup>2</sup>       |
| maximum twist drill size Ø in steel                  | 13 mm                        |
| Packaging                                            | Modular case (HD=Heavy Duty) |
| Weight                                               | 1.5 kg                       |
| Number of rechargeable batteries contained           | 2                            |
| Type of rechargeable battery                         | Lithium-ion                  |
| Power supply                                         | Rechargeable battery-powered |
| Type of product                                      | Screwdriver                  |

## Accessories

|                                                          |               |
|----------------------------------------------------------|---------------|
| Li-ion system M12B6 Battery type, battery voltage MB12 V | 073829 MB12   |
| Battery charger Type M1218C                              | 073840 M1218C |

|                                          |                |
|------------------------------------------|----------------|
| Battery charger Type M1218FC             | 073840 M1218FC |
| Offset screwdriving attachment Type OSD2 | 073920 OSD2    |
| Offset screwdriving attachment Type WB1  | 073920 WB1     |