

ALZMETALL
 we drive productivity

ALZTRONIC bench drill, maximum drill Ø in steel: 14 mm

Order data

| | |
|--------------|-----------|
| Order number | 076563 14 |
| GTIN | |
| Item class | 03P |

Description
Version:

High-speed, durable and precise bench drill. Multi-touch display with scratch-resistant glass surface for optimum readability. Simple and coherent user guidance via pictograms on display. Digital drill depth display with reference zero orientation.

- **AC motor 230 V, 50 Hz.**
- **Digital speed display.**
- **Manual input of spindle speed (set value).**
- **Reversible.**
- **Swivelling spindle guard with electrical interlock.**
- **Mushroom-head pushbutton (latching) for EMERGENCY STOP.**
- **24-month warranty.**
- **Without underneath cabinet and without drill chuck.**

With rigid and height-adjustable and swivelling machine table.

Attention:

German version. Order free UK adapter plug No. 08 1172_GB.

Note:

Plates for other bench drills available on request.

Manufacturer's designation: ALZTRONIC i14

Power consumption: 540 W

maximum speed: 230 - 4000 rpm

Toolholder: MT2
 maximum machine tap \varnothing in steel: M10
 Spindle stroke: 80 mm

Technical description

| | |
|--------------------------------------------|----------------|
| maximum speed | 230 - 4000 rpm |
| Manufacturer's designation | ALZTRONIC i14 |
| Machine baseplate width of usable area | 300 mm |
| Power consumption | 540 W |
| Distance spindle-base plate maximum | 437 mm |
| Machine table height adjustment | Hand crank |
| Distance spindle-base plate minimum | 437 mm |
| maximum drill \varnothing in steel | 14 mm |
| Machine table length of usable area | 300 mm |
| Machine baseplate height of usable area | 240 mm |
| Feed | manual |
| T-slot pitch | 80 mm |
| T-slot nominal size | 12 mm |
| Weight | 83 kg |
| Distance spindle-machine table minimum | 75 mm |
| Number of T-slots | 2 |
| Spindle stroke | 80 mm |
| Distance spindle-machine table maximum | 357 mm |
| Throat | 190 mm |
| Column \varnothing | 65 mm |
| Machine table width of usable area | 240 mm |
| Toolholder | MT2 |
| maximum machine tap \varnothing in steel | M10 |

