



## Straight die grinder Cordless, Type: M12FDGS422



### Order data

Order number	077258 M12FDGS422
GTIN	4058546290641
Item class	03L

### Description

#### Version:

FUEL™ cordless straight die grinder (overall length 262 mm). **DRIVE-CONTROL** 3-speed setting.

#### Supplied with:

1 pc. 2.0 / 1 pc. 4.0 Ah battery packs, C12 C charger, 1 pc. each of collet 6 mm and 8 mm, tool bag.

#### Note:

Suitable grinding discs (CER) can be found from No. 554012, for cleaning discs and coarse cleaning discs see No. 554050; 554051; 554054 and 554055.

suitable battery - supplier / battery type / voltage: Milwaukee type B 12 V

Manufacturer's designation: M12FDGS-422B

Battery capacity: 2 Ah

Battery capacity: 4 Ah

Battery voltage: 12 V

Speed range: 0 - 21000 rpm

maximum disc Ø: 50 mm

### Technical description

Manufacturer's designation	M12FDGS-422B
Number of rechargeable batteries contained	2
Weight	1 kg
maximum collet Ø	6 - 8 mm
Battery capacity	2 Ah
Battery capacity	4 Ah

suitable battery - supplier / battery type / voltage	Milwaukee type B 12 V
Type of rechargeable battery	Lithium-ion
Speed range	0 - 21000 rpm
Battery voltage	12 V
maximum disc Ø	50 mm
Power supply	Rechargeable battery-powered
Type of product	Straight die grinder

## Accessories

Battery charger Type M1218C	073840 M1218C
Battery charger Type M1218FC	073840 M1218FC
Battery starter set Type M12NRG4	073839 M12NRG4
Li-ion system M12B6 Battery type, battery voltage MB12 V	073829 MB12
Li-ion system M12B4 Rechargeable battery type, battery voltage MB12 V	073815 MB12
Li-ion system M4B2/M12B2 Rechargeable battery type, battery voltage MB12 V	073814 MB12
Wheel brush with shank Brass wire 0.20 mm. Brush Ø D1× bristle width L1 30X6 mm	574350 30X6
Wheel brush with shank Steel wire 0.30 mm Brush Ø D1× bristle width L1 30X6 mm	574000 30X6
Rubber backing pad shank Ø 6 mm medium hard External Ø 50 mm	554093 50
Rubber backing pad shank Ø 6 mm medium hard External Ø 75 mm	554093 75
Fleece abrasive finishing disc Grit equivalent 100	554042 100
Fleece abrasive finishing disc Grit equivalent 180	554042 180
Fleece abrasive finishing disc Grit equivalent 280	554042 280
Fleece abrasive finishing disc Grit equivalent 100	554043 100
Fleece abrasive finishing disc Grit equivalent 180	554043 180

Fleece abrasive finishing disc Grit equivalent 280	554043 280
Coarse cleaning disc (SiC) Fleece version CRS	554050 CRS
Coarse cleaning disc (SiC) Fleece version CRS	554051 CRS
Cleaning disc (A) Fleece version MED	554054 MED
Cleaning disc (A) Fleece version FINE	554054 FINE
Cleaning disc (A) Fleece version MED	554055 MED
Cleaning disc (A) Fleece version FINE	554055 FINE
NOT GO thread ring gauge / AR M 18x2 tolerance 4h	504012
NOT GO thread ring gauge / AR M 20x2 tolerance 4h	504013