



## Straight die grinder Cordless, Type: 71230262



### Order data

Order number	077262 71230262
GTIN	4014586888699
Item class	03F

### Description

#### Version:

- **Dust-resistant and powerful cordless straight die grinder.**
- **Maintenance-free brushless EC motor with innovative cooling ribs for optimum cooling, including temperature monitoring.**
- **Ideal for every application. Optimum speeds, tailored to a large number of abrasives and materials thanks to stepless, electronic speed pre-selection.**
- **Maximum work progress with FEIN HighPower Li-ion batteries. High-current cells with continuous high current output and 75% higher current than Li-ion batteries.**
- **Extremely smooth cutting action and anti-vibration working thanks to the independently mounted motor, decoupled from the housing, and 4 additional vibration dampers.**
- **Comprehensive user protection: Smooth start-up, restart inhibit, electronic overload protection.**
- **Dust-protected, separate motor electronics in the handle area.**

Long spindle neck. The long, slim neck makes deep plunging into workpieces possible (for example, internal grinding of pipes).

#### Standard:

- **Maintenance-free brushless EC motor with innovative cooling ribs for optimum cooling, including temperature monitoring.**
- **Maximum work progress with FEIN HighPower Li-ion batteries. High-current cells with permanently high current output and 75% higher current than Li-ion batteries.**
- **Extremely smooth cutting action and anti-vibration work thanks to the independently mounted motor, decoupled from the housing, and 4 additional vibration dampers.**

- **Comprehensive user protection: Smooth start-up, restart inhibit, electronic overload protection.**
- **Dust-protected, separate motor electronics in the handle area.**

**Supplied with:**

Supplied with 6 mm Ø collet, 1 × 13 AF and 1 × 17 AF spanner, carrying case. **Without battery and charger.** Suitable spare batteries and chargers can be found under No. 073834 – 073845.

**Note:**

Straight die grinders are approved for use with burrs up to a Ø of 12 mm.

See 073834 ff. for suitable spare batteries and chargers.

Packaging: Carrying case

suitable battery - supplier / battery type / voltage: Fein type E 12 V

suitable battery - supplier / battery type / voltage: Fein type E 18 V

Manufacturer's designation: AGSZ 18-280 LBL Select

Battery voltage: 18 V

Speed range: 9000 - 28000 rpm

maximum collet Ø: 8 mm

Weight: 1.6 kg

maximum vibration to EN: < 2.5 m/s<sup>2</sup>

## Technical description

maximum collet Ø	8 mm
Battery voltage	18 V
Weight	1.6 kg
electronic speed pre-selection	yes
maximum vibration to EN	< 2.5 m/s <sup>2</sup>
Manufacturer's designation	AGSZ 18-280 LBL Select
Speed range	9000 - 28000 rpm
Motor design	Brushless
suitable battery - supplier / battery type / voltage	Fein type E 12 V
suitable battery - supplier / battery type / voltage	Fein type E 18 V
Type of rechargeable battery	Lithium-ion
Number of rechargeable batteries contained	0
Power supply	Rechargeable battery-powered
Packaging	Carrying case
Type of product	Straight die grinder

---

## Accessories

Collet for straight grinder Collet Ø 8 mm	077268 8
Li-ion battery Battery type, battery voltage FE12 V	073836 FE12
Battery charger Type FE30	073845 FE30
Li-ion battery Battery type, battery voltage FE18 V	073836 FE18
Battery charger Type FE50	073845 FE50
Collet for straight grinder Collet Ø 6 mm	077268 6
Battery charger Type FE80	073845 FE80
Li-ion battery Rechargeable battery type, battery voltage FE12 V	073837 FE12
Li-ion battery Rechargeable battery type, battery voltage FE18 V	073837 FE18