

KÄRCHER**Wet and dry vacuum cleaner, Manufacturer's designation: NT55T2ME****Order data**

Order number	078521 NT55T2ME
GTIN	4039784538092
Item class	07C

Description**Version:**

Powerful all-purpose **wet and dry cleaners** with high suction power and compact design, hose storage, and accessory storage on the cleaner. **Automatic shut-down** when the maximum filling level is reached in the container.

- **Folded filter enables wet and dry suction without removing the filter.**
- **The Tact automatic filter cleaning system permits uninterrupted work in combination with low maintenance costs and long working life of the filter.**
- **The central rotary switch permits easy switching between the suction programs.**
- **Robust 30-litre container with bumpers and metal castors.**
- **Top-class industrial vacuum cleaner with 2 maintenance-free suction turbines and further development of the Tact² automatic filter cleaning system for continuous uninterrupted working.**
- **Outstanding suitability for removing even large quantities of fine dust right through to coarse dust and liquids.**
- **For emptying, the stainless steel tank can be completely removed from the mobility trolley and taken to a disposal point.**
- **Anti-static system (grounding up to the suction hose connection) and protection class I.**

Supplied with:

Suction hose with elbow, metal suction tube 2x0.5 m, floor nozzle, and crevice nozzle, flat fold filter or paper filter bag.

Note:

Industrial vacuum cleaner No. 078522 for materials that are oily or contain oil.

Power consumption: 2760 W

Container volume: 55 l

Connection width: 40 mm

Length: 710 mm

Width: 570 mm

Height: 1070 mm

Technical description

Fine dust suitability	yes
Air flow volume	2×74 l/s
Operating noise	73 dB(A)
Manufacturer's designation	NT55T2ME
Power consumption	2760 W
Filter cleaning	Tact ² automatic filter cleaning
Cable length	10 m
Anti-static system	yes
Length	710 mm
Weight	45 kg
Dust class – vacuum cleaner	L
Width	570 mm
Number of turbines	2
Vacuum	254 mbar
Connection width	40 mm
Height	1070 mm
Container volume	55 l
Suction hose length	4 m
Filter system	Fan-fold filter
Special features	Stainless steel tank, anti-static, protection class I
Power supply	Mains operated

Type of product

Wet and dry vacuum cleaners

Accessories

Swarf set oil-resistant Connection width DN40	078526 DN40
Rubber oblique-end nozzle Connection width DN40	078527 DN40
Crevice nozzle, narrow, 13 mm Connection width DN40	078528 DN40