



LED-EX headband lamp with battery, Type: EXH8



Order data

| | |
|--------------|---------------|
| Order number | 081474 EXH8 |
| GTIN | 4058205007412 |
| Item class | 04B |

Description

Version:

Explosion-proof headband lamp, tested to the applicable ATEX guidelines.

Headband lamp, very comfortable to wear, focussable, with red backlight. Comfortable "Magnetic Switch" for easy operation even when wearing gloves and protective equipment. Comfortable "Magnetic Switch" for easy operation even when wearing gloves and protective equipment.

Headlamp, very comfortable to wear, focussable, with red backlight.

Function:

IP68: Protected against continuous submersion in water (watertight) and protected against penetration by dust (dust-tight), also completely protected against touching.

Supplied with:

Supplied with batteries (3 × AA).

IP Index of Protection: IP 68

Tool properties: Suitable for EX areas

Manufacturer's designation: EXH8

ATEX zone: Zone 0

ATEX zone: Zone 20

Illumination: 180 lm

Illumination step 2: 50 lm

Working life: 15 h

Technical description

| | |
|-------------------------------|-----------------------|
| Colour of housing | black |
| Advanced Focus System (AFS) | yes |
| ATEX zone | Zone 0 |
| ATEX zone | Zone 20 |
| Illumination | 180 lm |
| Manufacturer's designation | EXH8 |
| Power supply | Battery-powered |
| Battery type | Mignon, AA |
| Number of batteries contained | 3 |
| Lighting life stage 2 | 40 h |
| Head Ø | 41 mm |
| Illumination range | 65 - 120 m |
| IP Index of Protection | IP 68 |
| Weight | 345 g |
| Including belt pocket | no |
| Illumination step 2 | 50 lm |
| rechargeable | no |
| Tool properties | Suitable for EX areas |
| Working life | 15 h |
| Type of product | Headlamp |

Accessories

| | |
|---|------------|
| Alkaline-manganese batteries International size LR6 | 081551 LR6 |
| Alkaline-manganese batteries International size LR6 | 081552 LR6 |
| Alkaline-manganese batteries International size LR6 | 081553 LR6 |
| Alkaline-manganese batteries International size LR6 | 081554 LR6 |
| Alkaline-manganese batteries International size LR6 | 081556 LR6 |
| Alkaline manganese battery set International size LR6 | 081557 LR6 |

| | |
|---|------------|
| Alkaline manganese battery set International size LR6 | 081558 LR6 |
| Lithium-metal batteries International size LR6 | 081559 LR6 |
| Alkaline-manganese batteries International size LR6 | 081561 LR6 |