

SONO  SWISS®**PRESET ultrasonic cleaning bath, Capacity: 1 l**

Order data

Order number	082923 1
GTIN	2050001962904
Item class	04E

Description**Version:**

Baths of drawn or welded stainless steel. Temperature control from 30 °C to 80 °C in 5 °C steps. Stand-alone units: PRESET – drawn stainless steel for storing frequent applications.

Application:

For removal of oil, grease, grinding fluids, polishing fluids, paint residues, flux, oxide layers, carbon deposits, scale from nearly all surfaces and even from inaccessible places, whilst treating the component being cleaned with the utmost care. Use special power cleaner depending on the dirt and effectiveness required (No. 082930 et seq.). The component to be cleaned must be completely surrounded by cleaning fluid.

Supplied with:

Ultrasonic cleaning bath with cover, without basket (No. 082926).

Note:

Further sizes and types on request.

Component basket can be found under No. 082926 in the online shop.

Item length: 206 mm

Item width: 118 mm

Item height: 178 mm

Length of component basket: 172 mm

Width of component basket: 66 mm

Cleaning bath height: 60 mm

Technical description

Maximum ultrasonic power	240 W
Cleaning bath height	60 mm
Extension option oil separator	no
Item length	206 mm
Capacity of cleaning bath	1 l
Item height	178 mm
Extension option rinsing module	no
Heating power	60 W
Cleaning bath width	85 mm
Item width	118 mm
Extension option pump filtration	no
Cleaning bath length	190 mm
Extension option drying module	no
Weight	2 kg
Width of component basket	66 mm
Nominal voltage	230 V
Power supply	Mains-powered
Power consumption	90 W
Length of component basket	172 mm
Nominal contents	0.8 l
Type of product	Ultrasonic cleaning unit

Accessories

Cover Size suitable for No. 082922 / 082923 / 082924 1	082927 1
Ultrasonic power cleaner T1 Capacity l/kg T4	082930 T4
Ultrasonic power cleaner T8 Capacity l/kg 10	082938 10
Ultrasonic power cleaner T5 Capacity l/kg 10	082935 10
Ultrasonic power cleaner T8 Capacity l/kg 2,5	082938 2,5

Ultrasonic power cleaner T1 Capacity l/kg 10	082930 10
Ultrasonic power cleaner T7 Capacity l/kg 2,5	082937 2,5
Ultrasonic power cleaner T1 Capacity l/kg 2,5	082930 2,5
Ultrasonic power cleaner T6 Capacity l/kg 10	082936 10
Component basket INOX Size suitable for No. 082922 / 082923 / 082924 1 Size	082926 1
Ultrasonic power cleaner T4 Capacity l/kg 2,5	082934 2,5
Corrosion protection Capacity l/kg AK	082931 AK
Ultrasonic power cleaner T1 Capacity l/kg T5	082930 T5
Ultrasonic power cleaner T2 Capacity l/kg 10	082932 10
Ultrasonic power cleaner T2 Capacity l/kg 2,5	082932 2,5
Ultrasonic power cleaner T6 Capacity l/kg 2,5	082936 2,5
Ultrasonic power cleaner T9 Capacity l/kg 10	082939 10
Ultrasonic power cleaner T3 Capacity l/kg 0,85	082933 0,85
Ultrasonic power cleaner T1 Capacity l/kg T6	082930 T6
Corrosion protection Capacity l/kg 1	082931 1
Ultrasonic power cleaner T3 Capacity l/kg 25	082933 25
Ultrasonic power cleaner T1 Capacity l/kg T2	082930 T2
Ultrasonic power cleaner T1 Capacity l/kg T1	082930 T1
Ultrasonic power cleaner T1 Capacity l/kg T3	082930 T3
Corrosion protection Capacity l/kg 25	082931 25
Ultrasonic power cleaner T4 Capacity l/kg 10	082934 10
Ultrasonic power cleaner T5 Capacity l/kg 2,5	082935 2,5
Ultrasonic power cleaner T9 Capacity l/kg 2,5	082939 2,5
Ultrasonic power cleaner T7 Capacity l/kg 10	082937 10