

SONO  SWISS®**PRESET ultrasonic cleaning bath, Capacity: 30 l****Order data**

Order number	082923 30
GTIN	2050001962720
Item class	04E

**Description****Version:**

Baths of drawn or welded stainless steel. Temperature control from 30 °C to 80 °C in 5 °C steps. Stand-alone units: PRESET – drawn stainless steel for storing frequent applications.

**Application:**

For removal of oil, grease, grinding fluids, polishing fluids, paint residues, flux, oxide layers, carbon deposits, scale from nearly all surfaces and even from inaccessible places, whilst treating the component being cleaned with the utmost care. Use special power cleaner depending on the dirt and effectiveness required (No. 082930 et seq.). The component to be cleaned must be completely surrounded by cleaning fluid.

**Supplied with:**

Ultrasonic cleaning bath with cover, without basket (No. 082926).

**Note:**

Further sizes and types on request.

Component basket can be found under No. 082926 in the online shop.

Item length: 570 mm

Item width: 355 mm

Item height: 320 mm

Length of component basket: 443 mm

Width of component basket: 238 mm

Cleaning bath height: 200 mm

**Technical description**

Maximum ultrasonic power	1200 W
Capacity of cleaning bath	30 l
Cleaning bath length	570 mm
Extension option pump filtration	no
Weight	11.2 kg
Extension option oil separator	no
Extension option drying module	no
Item width	355 mm
Heating power	1200 W
Cleaning bath width	330 mm
Extension option rinsing module	no
Item length	570 mm
Item height	320 mm
Cleaning bath height	200 mm
Nominal voltage	230 V
Width of component basket	238 mm
Power consumption	1500 W
Length of component basket	443 mm
Power supply	Mains-powered
Nominal contents	20.6 l
Type of product	Ultrasonic cleaning unit

## Accessories

Ultrasonic power cleaner T1 Capacity l/kg 2,5	082930 2,5
Ultrasonic power cleaner T8 Capacity l/kg 10	082938 10
Ultrasonic power cleaner T4 Capacity l/kg 2,5	082934 2,5
Ultrasonic power cleaner T6 Capacity l/kg 10	082936 10
Ultrasonic power cleaner T1 Capacity l/kg 10	082930 10

Ultrasonic power cleaner T1 Capacity l/kg T6	082930 T6
Ultrasonic power cleaner T6 Capacity l/kg 2,5	082936 2,5
Ultrasonic power cleaner T3 Capacity l/kg 0,85	082933 0,85
Ultrasonic power cleaner T5 Capacity l/kg 2,5	082935 2,5
Ultrasonic power cleaner T1 Capacity l/kg T5	082930 T5
Ultrasonic power cleaner T7 Capacity l/kg 2,5	082937 2,5
Ultrasonic power cleaner T2 Capacity l/kg 10	082932 10
Ultrasonic power cleaner T1 Capacity l/kg T4	082930 T4
Ultrasonic power cleaner T5 Capacity l/kg 10	082935 10
Ultrasonic power cleaner T9 Capacity l/kg 2,5	082939 2,5
Ultrasonic power cleaner T7 Capacity l/kg 10	082937 10
Ultrasonic power cleaner T9 Capacity l/kg 10	082939 10
Corrosion protection Capacity l/kg 25	082931 25
Ultrasonic power cleaner T1 Capacity l/kg T2	082930 T2
Ultrasonic power cleaner T4 Capacity l/kg 10	082934 10
Ultrasonic power cleaner T8 Capacity l/kg 2,5	082938 2,5
Ultrasonic power cleaner T2 Capacity l/kg 2,5	082932 2,5
Component basket INOX Size suitable for No. 082922 / 082923 / 082924 30 Size	082926 30
Ultrasonic power cleaner T1 Capacity l/kg T3	082930 T3
Corrosion protection Capacity l/kg AK	082931 AK
Cover Size suitable for No. 082922 / 082923 / 082924 30	082927 30
Ultrasonic power cleaner T3 Capacity l/kg 25	082933 25
Ultrasonic power cleaner T1 Capacity l/kg T1	082930 T1
Corrosion protection Capacity l/kg 1	082931 1