

SONO  SWISS®**PRESET ultrasonic cleaning bath, Capacity: 6 l****Order data**

Order number	082923 6
GTIN	2050001962928
Item class	04E

**Description****Version:**

Baths of drawn or welded stainless steel. Temperature control from 30 °C to 80 °C in 5 °C steps. Stand-alone units: PRESET – drawn stainless steel for storing frequent applications.

**Application:**

For removal of oil, grease, grinding fluids, polishing fluids, paint residues, flux, oxide layers, carbon deposits, scale from nearly all surfaces and even from inaccessible places, whilst treating the component being cleaned with the utmost care. Use special power cleaner depending on the dirt and effectiveness required (No. 082930 et seq.). The component to be cleaned must be completely surrounded by cleaning fluid.

**Supplied with:**

Ultrasonic cleaning bath with cover, without basket (No. 082926).

**Note:**

Further sizes and types on request.

Component basket can be found under No. 082926 in the online shop.

Item length: 355 mm

Item width: 205 mm

Item height: 270 mm

Length of component basket: 246 mm

Width of component basket: 106 mm

Cleaning bath height: 150 mm

**Technical description**

Item width	205 mm
Cleaning bath width	150 mm
Cleaning bath length	298 mm
Extension option pump filtration	no
Heating power	400 W
Extension option drying module	no
Capacity of cleaning bath	6 l
Weight	4.8 kg
Extension option oil separator	no
Extension option rinsing module	no
Item height	270 mm
Cleaning bath height	150 mm
Item length	355 mm
Maximum ultrasonic power	600 W
Power consumption	550 W
Nominal voltage	230 V
Power supply	Mains-powered
Length of component basket	246 mm
Width of component basket	106 mm
Nominal contents	4.3 l
Type of product	Ultrasonic cleaning unit

## Accessories

Ultrasonic power cleaner T3 Capacity l/kg 0,85	082933 0,85
Component basket INOX Size suitable for No. 082922 / 082923 / 082924 6 Size	082926 6
Ultrasonic power cleaner T2 Capacity l/kg 10	082932 10
Ultrasonic power cleaner T3 Capacity l/kg 25	082933 25

Ultrasonic power cleaner T1 Capacity l/kg T6	082930 T6
Ultrasonic power cleaner T1 Capacity l/kg 10	082930 10
Ultrasonic power cleaner T1 Capacity l/kg T4	082930 T4
Ultrasonic power cleaner T1 Capacity l/kg T5	082930 T5
Ultrasonic power cleaner T2 Capacity l/kg 2,5	082932 2,5
Ultrasonic power cleaner T1 Capacity l/kg 2,5	082930 2,5
Ultrasonic power cleaner T4 Capacity l/kg 10	082934 10
Ultrasonic power cleaner T1 Capacity l/kg T1	082930 T1
Ultrasonic power cleaner T7 Capacity l/kg 2,5	082937 2,5
Ultrasonic power cleaner T4 Capacity l/kg 2,5	082934 2,5
Ultrasonic power cleaner T1 Capacity l/kg T2	082930 T2
Ultrasonic power cleaner T9 Capacity l/kg 10	082939 10
Ultrasonic power cleaner T8 Capacity l/kg 2,5	082938 2,5
Ultrasonic power cleaner T6 Capacity l/kg 2,5	082936 2,5
Ultrasonic power cleaner T7 Capacity l/kg 10	082937 10
Ultrasonic power cleaner T5 Capacity l/kg 2,5	082935 2,5
Corrosion protection Capacity l/kg 1	082931 1
Ultrasonic power cleaner T6 Capacity l/kg 10	082936 10
Ultrasonic power cleaner T5 Capacity l/kg 10	082935 10
Corrosion protection Capacity l/kg AK	082931 AK
Corrosion protection Capacity l/kg 25	082931 25
Ultrasonic power cleaner T1 Capacity l/kg T3	082930 T3
Ultrasonic power cleaner T9 Capacity l/kg 2,5	082939 2,5
Ultrasonic power cleaner T8 Capacity l/kg 10	082938 10
Cover Size suitable for No. 082922 / 082923 / 082924 6	082927 6