



## Jobber drill set HSS No. 114360 in a case, TiN, Type: 1-10



### Order data

Order number	115245 1-10
GTIN	4045197024688
Item class	12B

### Description

#### Version:

Composed of jobber drills DIN 338.  
Standard core without core taper.  
Precision ground point.

#### Profile ground:

High concentricity and pitch accuracy, drills for series production use.  
With point geometry shape C from size 2.4 mm.  
Through-coolant: no  
Shank: Plain shank  
Drill range: 1 - 10 mm  
Number of drills: 19  
Incremental steps of drills: 0.5 mm

### Technical description

Incremental steps of drills	0.5 mm
Drill range	1 - 10 mm
Number of drills	19

Shank	Plain shank
Number of cutting edges Z	2
Coating	TiN
Tool material	HSS
Standard	DIN 338
Type	N
Tolerance nominal $\varnothing$	h8
Point angle	118 degrees
Through-coolant	no
with case	yes
Colour ring	without
Type of product	Jobber drill

## Accessories

Jobber drill HSS N $\varnothing$ DC h8 4 mm	114360 4
Jobber drill HSS N $\varnothing$ DC h8 10 mm	114360 10
Jobber drill HSS N $\varnothing$ DC h8 4,5 mm	114360 4,5
Jobber drill HSS N $\varnothing$ DC h8 2,5 mm	114360 2,5
Jobber drill HSS N $\varnothing$ DC h8 3 mm	114360 3
Jobber drill HSS N $\varnothing$ DC h8 2 mm	114360 2
Jobber drill HSS N $\varnothing$ DC h8 1 mm	114360 1
Jobber drill HSS N $\varnothing$ DC h8 3,5 mm	114360 3,5
Jobber drill HSS N $\varnothing$ DC h8 1,5 mm	114360 1,5
Jobber drill HSS N $\varnothing$ DC h8 7,5 mm	114360 7,5
Jobber drill HSS N $\varnothing$ DC h8 5,5 mm	114360 5,5
Jobber drill HSS N $\varnothing$ DC h8 9 mm	114360 9
Jobber drill HSS N $\varnothing$ DC h8 7 mm	114360 7
Jobber drill HSS N $\varnothing$ DC h8 8 mm	114360 8

Jobber drill HSS N Ø DC h8 5 mm	114360 5
Jobber drill HSS N Ø DC h8 9,5 mm	114360 9,5
Jobber drill HSS N Ø DC h8 8,5 mm	114360 8,5
Jobber drill HSS N Ø DC h8 6 mm	114360 6
Jobber drill HSS N Ø DC h8 6,5 mm	114360 6,5