

# GARANT Master TM plain shank thread mill with countersink 2.5×D, TiAIN, MF: 8X1



#### **Order data**

Order number	139683 8X1
GTIN	4045197958020
Item class	11D

### **Description**

#### **Version:**

Solid carbide thread milling cutters with irregular cutting edge spacing and an increased number of cutting edges. Due to the irregular cutting edge spacing they achieve very smooth running and long tool life.

**Newly developed universal geometry** and **high-performance coating** for use across a wide spectrum of materials.

- · Significantly reduced vibration due to irregular cutting edge spacing
- · Increased number of cutting edges
- · New coating for optimum wear resistance
- · Corrected thread profile for avoidance of profile distortions

#### **Advantage:**

Incorporating a countersink profile for a 90° countersink and thread milling in a single operation.

#### Nata.

HB and HE shanks are available at the same price as HA.

Order **HB** shank: with **No. 139683 + 129100 HB** Order **HE** shank: with **No. 139683 + 129100 HE** 

Through-coolant: yes No. of teeth Z: 4
Thread pitch: 1 mm
Nominal  $\varnothing$  D<sub>c</sub>: 6.6 mm
Shank length L<sub>s</sub>: 40 mm
Overall length L: 75 mm
Shank  $\varnothing$  D<sub>s</sub>: 10 mm

maximum countersink Ø D<sub>1</sub>: 8.5 mm

## **Technical description**

maximum countersink Ø D <sub>1</sub>	8.5 mm
Overall length L	75 mm
Shank Ø D <sub>s</sub>	10 mm
Programming value for countersink I <sub>1</sub>	21.45 mm
Number of clamping slots	4
Thread pitch	1 mm
Thread depth	16 mm
Through-coolant	yes
No. of teeth Z	4
Feed $f_z$ in steel < 750 N/mm <sup>2</sup>	0.06 mm
Shank length L <sub>s</sub>	40 mm
Thread size	M8×1
Nominal Ø D <sub>c</sub>	6.6 mm
Coating	TiAlN
Thread type	MF
Thread type	MF-LH
Flank angle	60 degrees
Tool material	Solid carbide
Thread standard	DIN 13
Shank	DIN 6535 HA to h6
Application for type of drilling	up to 2.5×D for blind holes and through holes
Spacing of the cutters	unequal spacing
Countersink angle	90 degrees
Colour ring	green
Internal/external application	Internal
Series	GARANT Master TM
Type of product	thread milling cutter



# **Services**

Shank grinding Type HB	129100 HB
Shank grinding Type HE	129100 HE