

GARANT Master TM plain shank thread mill with countersink 2×D, TiAIN, G: G1/8



Order data

Order number	139715 G1/8
GTIN	4045197958099
Item class	11D

Description

Version:

Solid carbide thread milling cutters with irregular cutting edge spacing and an increased number of cutting edges. Due to the irregular cutting edge spacing they achieve very smooth running and long tool life.

Newly developed universal geometry and **high-performance coating** for use across a wide spectrum of materials.

- significantly reduced vibration due to irregular cutting edge spacing
- increased number of cutting edges
- · new coating for optimum wear resistance
- · corrected thread profile for avoidance of profile distortions

Advantage:

Incorporating a countersink profile for a 90° countersink and thread milling in a single operation.

Application:

For **Whitworth parallel pipe threads** DIN-ISO 228/1 (threads that do not form a seal within the connections).

Note:

Form HB and HE supplied at the same price as HA. Form HB: order with No. 139715 + 129100 HB Form HE: order with No. 139715 + 129100 HE

No. of teeth Z: 4

Thread pitch: 0.907 mm Threads per inch: 28 Nominal Ø D_c: 8.1 mm Shank length L_s: 45 mm Overall length L: 82 mm Shank Ø D_s: 12 mm

Technical description

Thread pitch	0.907 mm
Shank Ø D _s	12 mm
Overall length L	82 mm
Thread size	G1/8
Feed f_z in steel < 750 N/mm ²	0.075 mm
Number of clamping slots	4
No. of teeth Z	4
maximum countersink \emptyset D ₁	10.3 mm
Shank length L _s	45 mm
Thread depth	16.2 mm
Threads per inch	28
Programming value for countersink I ₁	20.6 mm
Series	GARANT Master TM
Nominal Ø D _c	8.1 mm
Coating	TiAIN
Thread type	G
Thread type	G-LH
Flank angle	55 degrees
Tool material	Solid carbide
Shank	DIN 6535 HA to h6
Through-coolant	yes
Application for type of drilling	up to 2×D for blind holes and through holes
Spacing of the cutters	unequal spacing
Countersink angle	90 degrees
Colour ring	green
Internal/external application	Indvendig

Type of product	thread milling cutter
Services	
Shank grinding Type HB	129100 HB
Shank grinding Type HE	129100 HE