


**Garant**
**UNF thread cutting set in a plastic case, for UNF unified fine threads:  
UNF1/4-3/4**

**Order data**

Order number	145965 UNF1/4-3/4
GTIN	4045197878588
Item class	11K

**Description**
**Version:**

**Sturdy plastic case** with carrying handle and 2 catches. Each tool is securely stored and protected in a foam insert and is immediately ready to hand. For more detailed descriptions of the content see individual products.

**Application:**

**For UNF unified fine threads** ASME-B1.1.

**Content:**

1 set each hand tap No. 130750: Size 1/4; 5/16; 3/8; 7/16; 1/2; 5/8; 3/4

1 each die No. 142620: Size 1/4; 5/16; 3/8; 7/16; 1/2; 5/8; 3/4

1 each adjustable tap wrench No. 148410: Size 1.1/2; 2; 4

1 each die stock No. 149310: Size 20×7; 25×9; 30×11; 38×10; 45×14

1 screwdriver No. 664120: Size 5.5

Flank angle: 60 degrees

**Technical description**

for UNF unified fine threads	1/4 UNF - 3/4 UNF
------------------------------	-------------------

Thread type	UNF
Flank angle	60 degrees
Type of product	Die

## Accessories

Die UNF 7/16-20	142620 7/16-20
Hand tap set UNF 1/4-28	130750 1/4-28
Tap wrench, adjustable Type 2	148410 2
Die stock, EN 22568 for die $\varnothing$ × height 38X14 mm	149310 38X14
Screwdriver for slot-head, short Blade width b 5,5 mm	664120 5,5
Die UNF 1/4-28	142620 1/4-28
Hand tap set UNF 7/16-20	130750 7/16-20
Die UNF 3/8-24	142620 3/8-24
Hand tap set UNF 5/8-18	130750 5/8-18
Die UNF 5/8-18	142620 5/8-18
Die stock, EN 22568 for die $\varnothing$ × height 20X7 mm	149310 20X7
Die stock, EN 22568 for die $\varnothing$ × height 25X9 mm	149310 25X9
Hand tap set UNF 3/4-16	130750 3/4-16
Tap wrench, adjustable Type 1.1/2	148410 1.1/2
Hand tap set UNF 5/16-24	130750 5/16-24
Die stock, EN 22568 for die $\varnothing$ × height 45X18 mm	149310 45X18
Die UNF 3/4-16	142620 3/4-16
Hand tap set UNF 3/8-24	130750 3/8-24
Die UNF 1/2-20	142620 1/2-20
Die stock, EN 22568 for die $\varnothing$ × height 30X11 mm	149310 30X11
Hand tap set UNF 1/2-20	130750 1/2-20
Tap wrench, adjustable Type 4	148410 4
Die UNF 5/16-24	142620 5/16-24

