

# Solid carbide circular saw blade DIN 1838 B coarse, uncoated, $\emptyset \times$ thickness: 40X2,5 mm



#### **Order data**

| Order number | 179820 40X2,5 |
|--------------|---------------|
| GTIN         | 4045197246981 |
| Item class   | 17C           |

### **Description**

#### **Version:**

Top quality German product with **precision toothing** and **hollow ground mirror finish sides**. Compared to HSS saw blades, the cutting speed can be increased by a factor of 3 to 4. **DIN 1838 B coarse-toothed** with **curved teeth to form B** with chisel edge. **For cutting larger cross sections and greater cutting depths.** These blades are suitable for more universal use due to the improved chip formation and larger gullets compared to the fine-toothed version. **Note:** 

- Stable conditions of machine and component clamping are important prerequisites. If these conditions are disregarded the circular saw blade may break.
- The values for radial run-out and axial run-out are considerably better than the values specified in DIN 1840.
- · Special sizes on request.

Standard: DIN 1838 Thickness: 2.5 mm Bore Ø: 10 mm No. of teeth Z: 24

## **Technical description**

| Bore Ø          | 10 mm              |
|-----------------|--------------------|
| Thickness       | 2.5 mm             |
| Ø               | 40 mm              |
| No. of teeth Z  | 24                 |
| Coating         | uncoated           |
| Tool material   | Solid carbide      |
| Standard        | DIN 1838           |
| Type of product | Circular saw blade |