

Solid carbide circular saw blade DIN 1838 B coarse, uncoated, $\emptyset \times$ thickness: 63X2,5 mm



Order data

| Order number | 179820 63X2,5 |
|--------------|---------------|
| GTIN | 4045197247186 |
| Item class | 17C |

Description

Version:

Top quality German product with **precision toothing** and **hollow ground mirror finish sides**. Compared to HSS saw blades, the cutting speed can be increased by a factor of 3 to 4. **DIN 1838 B coarse-toothed** with **curved teeth to form B** with chisel edge. **For cutting larger cross sections and greater cutting depths.** These blades are suitable for more universal use due to the improved chip formation and larger gullets compared to the fine-toothed version.

Note:

- Stable conditions of machine and component clamping are important prerequisites. If these conditions are disregarded the circular saw blade may break.
- The values for radial run-out and axial run-out are considerably better than the values specified in DIN 1840.
- · Special sizes on request.

Standard: DIN 1838 Thickness: 2.5 mm Bore Ø: 16 mm No. of teeth Z: 32

Technical description

| Bore Ø | 16 mm |
|-----------------|--------------------|
| Ø | 63 mm |
| Thickness | 2.5 mm |
| No. of teeth Z | 32 |
| Coating | uncoated |
| Tool material | Solid carbide |
| Standard | DIN 1838 |
| Type of product | Circular saw blade |