

**Garant**
**Roughing end mill, TiAlN, Ø DC: 28 mm**

**Order data**

Order number	192710 28
GTIN	4045197107848
Item class	11W

**Description**
**Version:**
**Relief ground knuckle form profile.**

Up to size 20 end cutting teeth profile for plunging.

Through-coolant: no

Tolerance nominal Ø: k12

No. of teeth Z: 5

Helix angle: 27 degrees

Direction of infeed: horizontal and oblique

Shank: DIN 1835 B to h6

No. of teeth Z: 5

Flute length  $L_c$ : 90 mm

Overall length L: 166 mm

Shank Ø  $D_s$ : 25 mm

Corner chamfer width at 45°: 0.5 mm

Feed  $f_z$  for slot milling in steel < 750 N/mm<sup>2</sup>: 0.065 mm

**Technical description**

Cutting edge Ø $D_c$	28 mm
Corner chamfer width at 45°	0.5 mm
No. of teeth Z	5
Feed $f_z$ for slot milling in steel < 750 N/mm <sup>2</sup>	0.065 mm
Shank Ø $D_s$	25 mm
Overall length L	166 mm

Flute length L <sub>c</sub>	90 mm
Direction of infeed	horizontal and oblique
Shank	DIN 1835 B to h6
Tolerance nominal Ø	k12
Helix angle	27 degrees
Corner chamfer angle	45 degrees
Coating	TiAlN
Tool material	HSS Co 8
Standard	DIN 844 B
Milling profile	NR
Spacing of the cutters	unequal spacing
Through-coolant	no
Colour ring	without
Type of product	End mill