


**Garant**
**Solid carbide milling cutter MTC, DLC, Ø DC: 8 mm**

**Order data**

Order number	202272 8
GTIN	4045197655028
Item class	11X

**Description**
**Version:**

With the latest generation of **DLC coating sp<sup>2</sup>**.

**Eccentric relief ground**, additionally **polish ground** in the flutes for **outstanding chip evacuation** in long-chipping aluminium components.

**Without** 45° corner chamfer.

Lengths similar to **DIN 6527 long**.

Size 1–2 – tolerance: Size nominal Ø **D<sub>c</sub> = e8**.

Size 2.5–20M – tolerance: Size nominal Ø **D<sub>c</sub> = h6**.

**Application:**

Especially for **MTC (Multi Task Cutting)** use on the new generation of turning / milling centres.

Tolerance nominal Ø: h6

No. of teeth Z: 3

Helix angle: 45 degrees

Direction of infeed: horizontal, oblique and vertical

Shank: DIN 6535 HA to h6

Balance quality with shank: G 2.5 with HA

No. of teeth Z: 3

Flute length L<sub>c</sub>: 21 mm

Overhang length L<sub>1</sub> incl. recess: 25 mm

Recess Ø D<sub>1</sub>: 7.4 mm

Overall length L: 63 mm

Shank Ø D<sub>s</sub>: 8 mm

**Technical description**

No. of teeth Z	3
----------------	---

Recess $\varnothing D_1$	7.4 mm
Overhang length $L_1$ incl. recess	25 mm
Feed $f_z$ for slot milling in short-chipping aluminium	0.03 mm
Cutting edge $\varnothing D_c$	8 mm
Shank form	HA
Feed $f_z$ for side milling in short-chipping aluminium	0.04 mm
Shank $\varnothing D_s$	8 mm
Overall length $L$	63 mm
Flute length $L_c$	21 mm
Direction of infeed	horizontal, oblique and vertical
Shank	DIN 6535 HA to h6
Tolerance nominal $\varnothing$	h6
Balance quality with shank	G 2.5 with HA
Helix angle	45 degrees
Corner chamfer angle	90 degrees
Coating	DLC
Tool material	Solid carbide
Standard	DIN 6527
Type	W
Helix angle characteristic	unequal spacing
Cutting width $a_e$ for milling operation	0.5×D for side milling
Cutting width $a_e$ for milling operation	Full slot cutting depth 1×D
Through-coolant	no
Machining strategy	MTC
Colour ring	yellow
Type of product	End mill

## Services

Shank recess Type FRST	209900 FRST
------------------------	-------------

Shank grinding Type HB

129100 HB