



## Solid carbide milling cutter HPC, TiSi, Ø f8 DC: 5 mm



### Order data

Order number	203014 5
GTIN	4045197550989
Item class	12X

### Description

#### Version:

**Special TiSi coating.**

#### Note:

**NEW GENERATION AVAILABLE!**

**Recommended successor products are No. 203013, 203015, 203021, 203027.**

Tolerance nominal Ø: f8

No. of teeth Z: 4

Helix angle: 35 degrees

Direction of infeed: horizontal, oblique and vertical

Shank: DIN 6535 HB to h6

No. of teeth Z: 4

Flute length  $L_c$ : 13 mm

Overhang length  $L_1$  incl. recess: 19 mm

Recess Ø  $D_1$ : 4.8 mm

Overall length L: 57 mm

Shank Ø  $D_s$ : 6 mm

### Technical description

Feed $f_z$ for slot milling in stainless steel > 900 N/mm <sup>2</sup>	0.025 mm
Recess Ø $D_1$	4.8 mm
No. of teeth Z	4
Feed $f_z$ for side milling in INOX > 900 N/mm <sup>2</sup>	0.025 mm
Cutting edge Ø $D_c$	5 mm

Corner chamfer width at 45°	0.1 mm
Overhang length $L_1$ incl. recess	19 mm
Shank $\varnothing D_s$	6 mm
Overall length L	57 mm
Flute length $L_c$	13 mm
Direction of infeed	horizontal, oblique and vertical
Shank	DIN 6535 HB to h6
Tolerance nominal $\varnothing$	f8
Helix angle	35 degrees
Corner chamfer angle	45 degrees
Coating	TiSi
Tool material	Solid carbide
Standard	Manufacturer's standard
Type	N
Helix angle characteristic	unequal spacing
Spacing of the cutters	unequal spacing
Cutting width $a_e$ for milling operation	0.3×D for side milling
Cutting width $a_e$ for milling operation	Full slot cutting depth 1×D
Through-coolant	no
Machining strategy	HPC
Colour ring	blue
Type of product	End mill