




## Indexable milling cutter 90° MEC11T, Weldon shank, Ø D / number of teeth Z: 20/3L mm



### Order data

Order number	227305 20/3L
GTIN	4960664406531
Item class	250

### Description

#### Description:

MEC11T mill type with higher stability due to lower number of cutters than MECX. This enables higher feed rates per cutter.

Through-coolant: yes

maximum cutting depth  $a_{p\max}$ : 10 mm

Overhang  $L_1$ : 26 mm

Overall length  $L_{\text{tot}}$ : 68 mm

Shank Ø  $D_s$  h6: 16 mm

suitable indexable insert: BD.. 11T3

Insert screw: 229708 (T8; 1.2 Nm)

### Technical description

suitable indexable insert	BD.. 11T3
maximum cutting depth $a_{p\max}$	10 mm
Overhang $L_1$	26 mm
Insert screw	229708 (T8; 1.2 Nm)
Cutting edge Ø $D_c$	20 mm
Overall length $L_{\text{tot}}$	68 mm
Shank Ø $D_s$ h6	16 mm
Number of cutting edges Z	3

Shank type	Weldon shank
Setting angle $\kappa$	90 degrees
Milling application	Circular milling
Milling application	End milling
Milling application	Ramping
Through-coolant	yes
Type of product	Indexable insert cutter

---

## Accessories

Clamping screw	229708
----------------	--------