



## Shell end mill 90° MECH11, Plain shank, Ø D / Z<sub>eff</sub>: 25/2 mm



### Order data

Order number	227450 25/2
GTIN	4960664503742
Item class	250

### Description

#### Version:

Notched indexable inserts reduce the cutting forces and vibration. Comparatively larger cutting widths  $a_e$  can be achieved with the same cutting depth  $a_p$ . High productivity even on machines with low spindle power.

Through-coolant: yes

ISO code indexable insert: BDMT 11T308

Number of effective inserts  $Z_{eff}$ : 2

Number of indexable inserts: 8

maximum cutting depth  $a_{p,max}$ : 37 mm

Overhang  $L_1$ : 46 mm

Overall length  $L_{tot}$ : 120 mm

### Technical description

Cutting edge Ø $D_c$	25 mm
suitable indexable insert	BDMT 11T308
Number of effective inserts $Z_{eff}$	2
Overall length $L_{tot}$	120 mm
Overhang $L_1$	46 mm
Shank Ø $D_s$ h6	25 mm
Insert screw	229708 (T8; 1.2 Nm)
maximum cutting depth $a_{p,max}$	37 mm

ISO code indexable insert	BDMT 11T308
Number of indexable inserts	8
Shank type	Plain shank
Setting angle $\kappa$	90 degrees
Milling application	End milling
Through-coolant	yes

---

## Accessories

Clamping screw	229708
----------------	--------