

**Garant**
**Boring bar set HSS, right-hand**

**Order data**

Order number	260024
GTIN	4045197652201
Item class	29W

**Description**

Boring bar set HSS ISO code toolholder: AH0810J SCLCR/L06  
 ISO code toolholder: AH0608H SCLCR/L06  
 ISO code toolholder: AH1012K SCLCR/L06  
 ISO code toolholder: AH1216M SCLCR/L06  
 suitable indexable insert: CC.. 0602..  
 Minimum pre-drill  $\varnothing D_{\min}$ : 8 mm

**Technical description**

suitable indexable insert	CC.. 0602..
ISO code toolholder	AH0810J SCLCR/L06
ISO code toolholder	AH0608H SCLCR/L06
ISO code toolholder	AH1012K SCLCR/L06
ISO code toolholder	AH1216M SCLCR/L06
Pack of insert screws	269028 7
Minimum pre-drill $\varnothing D_{\min}$	8 mm
Minimum pre-drill $\varnothing D_{\min}$	12 mm
Minimum pre-drill $\varnothing D_{\min}$	14 mm

Minimum pre-drill $\varnothing D_{\min}$	18 mm
Clamping height $L_2$	7 mm
Clamping height $L_2$	9 mm
Clamping height $L_2$	11 mm
Clamping height $L_2$	15 mm
Centre offset $L_3$	4 mm
Centre offset $L_3$	6 mm
Centre offset $L_3$	7 mm
Centre offset $L_3$	9 mm
Overall length L	100 mm
Overall length L	110 mm
Overall length L	125 mm
Overall length L	150 mm
Neck width	6 mm
Neck width	8 mm
Neck width	10 mm
Neck width	12 mm
Overhang $L_1$ recessed holders	25 mm
Overhang $L_1$ recessed holders	32 mm
Overhang $L_1$ recessed holders	38 mm
Overhang $L_1$ recessed holders	50 mm
Application type	right-hand
Boring depth up to	5×D
Tool material	HSS
Standard	DIN 8024
Through-coolant	yes
Type of product	Boring bar

## Accessories

Set of insert screws 10 pieces	269413
Set of insert screws Type 7	269028 7