



## Boring bar set, steel, with IC, right-hand, Type: SET07



### Order data

Order number	260346 SET07
GTIN	4045197656667
Item class	29W

### Description

#### Supplied with:

Plastic case

Through-coolant: yes

ISO code toolholder: A1216M SDUCR/L07

ISO code toolholder: A0810H SDUCR/L07

ISO code toolholder: A1012K SDUCR/L07

suitable indexable insert: DC.. 0702..

Minimum pre-drill  $\varnothing D_{min}$ : 12 mm

Minimum pre-drill  $\varnothing D_{min}$ : 15.5 mm

### Technical description

suitable indexable insert	DC.. 0702..
ISO code toolholder	A1216M SDUCR/L07
ISO code toolholder	A0810H SDUCR/L07
ISO code toolholder	A1012K SDUCR/L07
Pack of insert screws	269028 7

Head length L <sub>1</sub>	22.5 mm
Head length L <sub>1</sub>	27.5 mm
Head length L <sub>1</sub>	40.5 mm
Clamping height L <sub>2</sub>	9 mm
Clamping height L <sub>2</sub>	11 mm
Clamping height L <sub>2</sub>	15 mm
Centre offset L <sub>3</sub>	6.5 mm
Centre offset L <sub>3</sub>	9 mm
Centre offset L <sub>3</sub>	11 mm
Minimum pre-drill Ø D <sub>min</sub>	12 mm
Minimum pre-drill Ø D <sub>min</sub>	15.5 mm
Minimum pre-drill Ø D <sub>min</sub>	18 mm
Neck width L <sub>4</sub>	8 mm
Neck width L <sub>4</sub>	10 mm
Neck width L <sub>4</sub>	12 mm
Overall length L	100 mm
Overall length L	125 mm
Overall length L	150 mm
Application type	right-hand
Boring depth up to	3×D
Standard	DIN 8024
Through-coolant	yes
Type of product	Boring bar

## Accessories

PrecisionBit for Torx®, shank E 6.3 Torx® profile TX8	674248 TX8
Set of insert screws 10 pieces	269413
	659906 500

Torque screwdriver with scale, to take interchangeable blades maximum torque 500 cNm

Set of insert screws Type 7	269028 7
Boring bar steel Shank Ø / insert size 1012/07 mm	260342 1012/07
Boring bar steel Shank Ø / insert size 1216/07 mm	260343 1216/07
Boring bar steel Shank Ø / insert size 1012/07 mm	260343 1012/07
Boring bar steel Shank Ø / insert size 1216/07 mm	260342 1216/07
Boring bar steel Shank Ø / insert size 0810/07 mm	260342 0810/07