



## Heavy-duty chuck, SK 40, Ø D1: 20 mm



### Order data

Order number	300775 20
GTIN	4045197550866
Item class	32A

### Description

#### Version:

- **Low friction due to needle bearings.**
- **Protected with anti-corrosion coating.**
- **Dust-tight and watertight.**
- **Very high clamping force prolongs tool life and improves surface quality.**
- **Flexible clamping range by means of collets.**

#### Application:

For clamping tools with plain shanks.

#### Supplied with:

Clamping nut.

#### Optional extras:

Pull studs No. 308600 – 308806.

Collets No. 309566 – 309570.

Overhang dimension A: 90 mm

Collet outer Ø D: 52 mm

Clamping force up to: 500 Nm

Suitable C-hook (pin) spanner No. 628400: 52 / 55

### Technical description

Suitable C-hook (pin) spanner No. 628400	52 / 55
Collet outer Ø D	52 mm
Clamping Ø D <sub>1</sub>	20 mm

Overhang dimension A	90 mm
Clamping force up to	500 Nm
Adapter	SK 40
Arbor standard	ISO 7388-1
Shape	AD
Balance quality G at rotational speed	G 6.3 at 15,000 rpm
Concentricity	≤ 5 μm
Machining strategy	HPC
Type of product	Heavy-duty chuck

## Accessories

Pull stud 45° sealed suitable for steep tapers 40	308760 40
Pull stud Mori-Seiki, sealed, form A suitable for steep tapers 40	308625 40
Collet for heavy-duty chuck Nominal clamping Ø d 16 mm	309570 16
Collet for heavy-duty chuck Nominal clamping Ø d 18 mm	309570 18
Collet for heavy-duty chuck Nominal clamping Ø d 10 mm	309566 10
Pull stud sealed, form B suitable for steep tapers 40	308620 40
Pull stud sealed, form B suitable for steep tapers 40	308650 40
Collet for heavy-duty chuck Nominal clamping Ø d 16 mm	309566 16
Pull stud, 18CrNiMo7 sealed, form B suitable for steep tapers 40	308615 40
Pull stud Mazak sealed, form A suitable for steep tapers 40M	308670 40M
Special pull stud with no internal thread sealed suitable for steep tapers 40	308700 40
Pull stud sealed suitable for steep tapers 40	308660 40
Pull stud 60° sealed suitable for steep tapers 40	308785 40
Pull stud stud sealed, form A suitable for steep tapers 40	308610 40

Pull stud 90° sealed suitable for steep tapers 40	308795 40
Pull stud Mori-Seiki, sealed, form A suitable for steep tapers 40	308630 40
Pull stud Form A suitable for steep tapers 40	308600 40
Pull stud sealed suitable for steep tapers 40	308635 40
Pull stud 90° sealed suitable for steep tapers 40	308790 40
Collet for heavy-duty chuck Nominal clamping Ø d 6 mm	309566 6
Special pull stud with no internal thread sealed suitable for steep tapers 40	308720 40
Collet for heavy-duty chuck Nominal clamping Ø d 12 mm	309570 12
Pull stud Hurco 90° with fit sealed suitable for steep tapers 40	308806 40
Pull stud Hurco 45° with bore and fit sealed suitable for steep tapers 40	308801 40
Collet for heavy-duty chuck Nominal clamping Ø d 6 mm	309570 6
Collet for heavy-duty chuck Nominal clamping Ø d 10 mm	309570 10
Pull stud, 18CrNiMo7 Form A suitable for steep tapers 40	308605 40
Special pull stud with internal thread suitable for steep tapers 40	308740 40
Collet for heavy-duty chuck Nominal clamping Ø d 12 mm	309566 12
Pull stud Hurco 45° with fit sealed suitable for steep tapers 40	308802 40
Pull stud Form B suitable for steep tapers 40	308640 40
Collet for heavy-duty chuck Nominal clamping Ø d 20 mm	309570 20
Collet for heavy-duty chuck Nominal clamping Ø d 25 mm	309570 25
Collet for heavy-duty chuck Nominal clamping Ø d 8 mm	309566 8
Collet for heavy-duty chuck Nominal clamping Ø d 8 mm	309570 8
Pull stud 45° sealed suitable for steep tapers 40	308765 40