



Precision ER collet chuck CENTRO P, HSK-A 63 A = 130, Type CP for ER: 11M



Order data

Order number	305925 11M
GTIN	2050001756909
Item class	33F

Description

Version:

- **Ground externally and internally. With Balluffchip bore.**
- **Run-out and repetition accuracy 3 µm at 3×D, maximum 50 mm.**
- **Very high clamping forces due to the collet fully seated in the chuck and coated clamping nut.**
- **Vibration damping due to the element collet and mass of the chuck.**
- **Alternatively without seals, with ER clamping nut CP No. 309655 or sealed system with ER clamping nut CP for HP sealing rings No. 309665 in conjunction with HP sealing rings No.309666 – 309668 (for internal coolant supply or as a dirt trap!).**

Advantage:

Patented optimum seating of the collet, double guides, trapezoidal thread and low-friction coated clamping nut amalgamate when clamped into a sturdy unit, thus ensuring a very high degree of rigidity and precision.

Application:

For high precision clamping of tools with plain shanks.

Supplied with:

Without clamping nut and sealing rings.

Optional extras:

Precision ER collets for HP No. 309368 – 309381, and for taps No. 309402; 309419 (not Horex). ER clamping nuts CP No. 309655; 309665. HP sealing rings No. 309666 – 309668. CP roller bearing wrenches No. 309754; 309756.

Note:

- **CP chuck clamps only nominal Ø up to shank Ø tolerance h10.**
- **Use in combination with Fahrion collets.**

Machining strategy: HSC

Shape: A
Clamping range: 1 - 7 mm
External Ø D: 16 mm

Technical description

Type CP for ER	11M
Clamping range	1 - 7 mm
External Ø D	16 mm
Shape	A
Series	Centro P
Adapter	HSK-A 63 A = 130
Arbor standard	DIN 69893
Arbor standard	ISO 12164-1
Balance quality G at rotational speed	G 2.5 at 25,000 rpm
Concentricity ER collet with CP collet chuck	≤ 6 µm
Concentricity HP collet with CP collet chuck	≤ 3 µm
Machining strategy	HSC
Type of product	Collet chuck

Accessories

CP roller bearing wrench Type 11M	309754 11M
ER collet HP with seal Nominal clamping Ø d 6 mm	309369 6
ER collet HP Nominal clamping Ø d 5 mm	309368 5
ER collet HP Nominal clamping Ø d 1 mm	309368 1
ER collet HP with seal Nominal clamping Ø d 5 mm	309369 5
ER collet HP Nominal clamping Ø d 2 mm	309368 2
ER collet HP with seal Nominal clamping Ø d 3 mm	309369 3
ER collet HP Nominal clamping Ø d 3 mm	309368 3
ER collet HP with seal Nominal clamping Ø d 4 mm	309369 4

CP roller bearing wrench for torque wrenches Type 11M	309756 11M
ER collet HP Nominal clamping \varnothing d 4 mm	309368 4