

# Self-centring lathe chuck with base and hard top jaws, DIN 702-4, Type: 200



# **Order data**

| Order number | 313120 200    |
|--------------|---------------|
| GTIN         | 4019208227788 |
| Item class   | 33R           |

## **Description**

#### **Version:**

- · Maximum concentricity and changeover accuracy.
- With jaw retention, centrically clamping.
- · Large pass-through diameter.
- · Accuracy twice that specified by DIN 6386.
- · High clamping force with low force exertion.
- Higher speeds thanks to safety blocking slide.
- · Jaws can quickly and easily be reversed or exchanged.
- · Outer contour with drop-off wedge for water.
- · Grease nipple for greasing all sliding faces.

### **Advantage:**

Wherever extremely high clamping forces, high concentricity, and reliable continuous repeatability are required.

#### **Application:**

For machine spindles with recessed centring mount or for mounting using a flange. Secured with screws from the front. The flange blanks must always be fitted first to the machine and then to the chuck.

#### **Material:**

Entirely made of steel, fully surface-hardened.

### **Supplied with:**

Includes: 1 set of jaws, 1 chuck key, 1 set fastening screws.

## Note:

Bore E can be bored out: Size 160 to 45 mm, size 200 to 55 mm, size 250 to 75 mm, size 315 to 102 mm (at additional charge).

Colour code for accessories: Röhm self-centring chucks and jaws

Clamping range with external hard top jaws: 7 - 207 mm Clamping range with internal hard top jaws: 71 - 214 mm

Clamping stroke per jaw S: 6.8 mm

External Ø A: 206 mm Aperture E: 52 mm Chuck height D: 81 mm

# **Technical description**

| Clamping range with external hard top jaws | 7 - 207 mm                         |
|--|------------------------------------|
| Clamping stroke per jaw S                  | 6.8 mm                             |
| Centring Ø B                               | 185 mm                             |
| External Ø A                               | 206 mm                             |
| Туре                                       | 200                                |
| Weight                                     | 18.6 kg                            |
| maximum speed                              | 4600 rpm                           |
| Clamping range with internal hard top jaws | 71 - 214 mm                        |
| Aperture E                                 | 52 mm                              |
| Chuck height D                             | 81 mm                              |
| Chuck key square socket K                  | 12 mm                              |
| Standard                                   | DIN 702-4                          |
| Colour code for accessories                | Röhm self-centring chucks and jaws |
| Type of product                            | Self-centring chucks               |

## **Accessories**

| Base jaw set, 3 pieces, angled serrations for chuck type 200 | 313205 200 |
|--|------------|
| Hardened top jaw set, 3 pieces for chuck type 200            | 313250 200 |

| Base jaw set, 3 pieces, straight teeth for chuck type 200    | 313207 200 |
|--|------------|
| Hardened top jaw set, 3 pieces for chuck type 200            | 313210 200 |
| Base jaw set, 3 pieces, angled serrations for chuck type 200 | 313200 200 |