

SWISS TOOLS

## Lever-lock toolholder neutral, HSK-T, Shank Ø / insert size – A dimension: 6312-130HP mm



### Order data

|              |                   |
|--------------|-------------------|
| Order number | 320065 6312-130HP |
| GTIN         | 2050001773159     |
| Item class   | 36D               |

### Description

#### Note:

Order the suitable **HP nozzle** No. 320001 separately. Spare parts No. 320610 – 320626 can be found in the spare parts list.

PSC clamping stud on request.

Through-coolant: yes

Overhang dimension A: 130 mm

suitable indexable insert: CN.. 1204..

Spare part: P01

### Technical description

|                           |             |
|---------------------------|-------------|
| suitable indexable insert | CN.. 1204.. |
| Overhang dimension A      | 130 mm      |
| Spare part                | P01         |
| Insert size               | 12          |
| Shank Ø                   | 63 mm       |
| Adapter                   | HSK-T       |
| Application type          | neutral     |
| Arbor standard            | ISO 12164-3 |
| Through-coolant           | yes         |

|                 |                    |
|-----------------|--------------------|
| Shank type      | Hollow shank taper |
| Type of product | Boring bar         |

## Accessories

|   |            |
|---|------------|
| Tube pin No. 7 Type P05                   | 320618 P05 |
| Toggle lever No. 4 Type P06               | 320612 P06 |
| Intermediate spacer No. 1 Type P01        | 320610 P01 |
| Clamping screw No. 3 Type P02             | 320611 P02 |
| Clamping screw No. 3 Type P06             | 320611 P06 |
| Clamping screw No. 3 Type P04             | 320611 P04 |
| Intermediate spacer No. 1 Type P06        | 320610 P06 |
| Torx-screw No. 2 Type 2                   | 320620 2   |
| Tube pin No. 7 Type P01                   | 320618 P01 |
| Tube pin No. 7 Type P04                   | 320618 P04 |
| Intermediate spacer No. 1 Type D07        | 320610 D07 |
| Torx-screw No. 2 Type 2                   | 320626 2   |
| Intermediate spacer No. 1 Type P05        | 320610 P05 |
| Toggle lever No. 4 Type P05               | 320612 P05 |
| Intermediate spacer No. 1 Type P02        | 320610 P02 |
| Nozzle ring No. 5 Type D07                | 320613 D07 |
| Clamping screw No. 3 Type P05             | 320611 P05 |
| Clamping screw No. 3 Type P01             | 320611 P01 |
| Toggle lever No. 4 Type P01               | 320612 P01 |
| High-pressure cooling nozzle (HP) Type 63 | 320001 63  |
| Tube pin No. 7 Type P02                   | 320618 P02 |
| Torx-screw No. 2 Type 2                   | 320624 2   |
| Toggle lever No. 4 Type P02               | 320612 P02 |
| Intermediate spacer No. 1 Type P04        | 320610 P04 |

|                               |            |
|-------------------------------|------------|
| Tube pin No. 7 Type P06       | 320618 P06 |
| Toggle lever No. 4 Type P04   | 320612 P04 |
| Clamping screw No. 3 Type D07 | 320611 D07 |
| Clamp No. 6 Type D07          | 320614 D07 |