

**Stationary chuck MANOK plus, Type / size: RD65****Order data**

Order number	329960 RD65
GTIN	2050001925992
Item class	33H

Description**Version:**

Stationary chuck of solid cast. High clamping force, precision, and stiffness. Ground face for horizontal mounting, integral stop.

Application:

Versatile application e. g. machining centres, measuring machines, pillar drills etc.

Suitable for :

Clamping heads No. 329910 – 329946.

Supplied with:

Including 1 chuck key.

Note:

Use changing device No. 329830 size 65.

Weight: 23.5 kg

Technical description

Length L	184 mm
Width B	184 mm
Height H	120 mm

Weight	23.5 kg
Arbor size	RD65
Pitch circle Ø	126 mm
Repetition accuracy	0.01 mm
Spacing of attachment holes	126 mm
maximum clamping force	105 kN
Clamping range	4 - 65 mm
Depth stop	92 mm
Slot size tolerance	20 H7
Type of product	Vice

Accessories

Clamping head smooth Clamping Ø (0.5 mm increments) 54,5 mm	329930 54,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 34,5 mm	329934 34,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 24,5 mm	329934 24,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 14,5 mm	329934 14,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 40 mm	329934 40
Clamping head smooth Clamping Ø (0.5 mm increments) 64,5 mm	329930 64,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 32,5 mm	329934 32,5
Clamping head smooth Clamping Ø (0.5 mm increments) 54 mm	329930 54
Clamping head smooth Clamping Ø (0.5 mm increments) 64 mm	329930 64
	329934 44,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 44,5 mm

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 48,5 mm 329934 48,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 24 mm 329934 24

Clamping head smooth Clamping \varnothing (0.5 mm increments)
24 mm 329930 24

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 62,5 mm 329934 62,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
6,5 mm 329930 6,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 35,5 mm 329934 35,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 11 mm 329934 11

Clamping head smooth Clamping \varnothing (0.5 mm increments)
51 mm 329930 51

Clamping head smooth Clamping \varnothing (0.5 mm increments)
10,5 mm 329930 10,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
59,5 mm 329930 59,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
4,5 mm 329930 4,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
15 mm 329930 15

Clamping head smooth Clamping \varnothing (0.5 mm increments)
32 mm 329930 32

Clamping head smooth Clamping \varnothing (0.5 mm increments)
41 mm 329930 41

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 25,5 mm 329934 25,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
10 mm 329930 10

329930 43

Clamping head smooth Clamping Ø (0.5 mm increments) 43 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 23,5 mm	329934 23,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 15 mm	329934 15
Clamping head smooth Clamping Ø (0.5 mm increments) 59 mm	329930 59
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 20 mm	329934 20
Clamping head smooth Clamping Ø (0.5 mm increments) 28 mm	329930 28
Clamping head smooth Clamping Ø (0.5 mm increments) 8,5 mm	329930 8,5
Clamping head smooth Clamping Ø (0.5 mm increments) 62 mm	329930 62
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 50,5 mm	329934 50,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 31,5 mm	329934 31,5
Clamping head smooth Clamping Ø (0.5 mm increments) 37 mm	329930 37
Clamping head smooth Clamping Ø (0.5 mm increments) 26 mm	329930 26
Clamping head smooth Clamping Ø (0.5 mm increments) 48 mm	329930 48
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 9,5 mm	329932 9,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 54 mm	329934 54
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 19 mm	329934 19
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 52,5 mm	329934 52,5
	329930 43,5

Clamping head smooth Clamping Ø (0.5 mm increments) 43,5 mm	
Clamping head smooth Clamping Ø (0.5 mm increments) 61 mm	329930 61
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 28,5 mm	329934 28,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 55,5 mm	329934 55,5
Clamping head smooth Clamping Ø (0.5 mm increments) 5 mm	329930 5
Clamping head smooth Clamping Ø (0.5 mm increments) 44 mm	329930 44
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 55 mm	329934 55
Clamping head smooth Clamping Ø (0.5 mm increments) 58 mm	329930 58
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 57 mm	329934 57
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 43 mm	329934 43
Clamping head smooth Clamping Ø (0.5 mm increments) 53 mm	329930 53
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 15,5 mm	329934 15,5
Clamping head smooth Clamping Ø (0.5 mm increments) 57,5 mm	329930 57,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 59 mm	329934 59
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 45,5 mm	329934 45,5
Clamping head smooth Clamping Ø (0.5 mm increments) 7 mm	329930 7
Clamping head smooth Clamping Ø (0.5 mm increments) 53,5 mm	329930 53,5
	329934 43,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 43,5 mm

Clamping head smooth Clamping \varnothing (0.5 mm increments)
40 mm

329930 40

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 16,5 mm

329934 16,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 40,5 mm

329934 40,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
42,5 mm

329930 42,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
55,5 mm

329930 55,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
18,5 mm

329930 18,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 12,5 mm

329934 12,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 13 mm

329934 13

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 13,5 mm

329934 13,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 34 mm

329934 34

Clamping head smooth Clamping \varnothing (0.5 mm increments)
20 mm

329930 20

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 33 mm

329934 33

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 17,5 mm

329934 17,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
52 mm

329930 52

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 53,5 mm

329934 53,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
19 mm

329930 19

Clamping head soft Initial bore \varnothing 8 mm

329936 8

Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 33,5 mm	329934 33,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 16 mm	329934 16
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 47,5 mm	329934 47,5
Clamping head smooth Clamping Ø (0.5 mm increments) 40,5 mm	329930 40,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 29 mm	329934 29
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 42,5 mm	329934 42,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 45 mm	329934 45
Clamping head smooth Clamping Ø (0.5 mm increments) 27 mm	329930 27
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 27 mm	329934 27
Clamping head smooth Clamping Ø (0.5 mm increments) 34 mm	329930 34
Clamping head smooth Clamping Ø (0.5 mm increments) 42 mm	329930 42
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 49,5 mm	329934 49,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 56 mm	329934 56
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 60,5 mm	329934 60,5
Clamping head smooth Clamping Ø (0.5 mm increments) 18 mm	329930 18
Clamping head smooth Clamping Ø (0.5 mm increments) 61,5 mm	329930 61,5
Clamping head smooth Clamping Ø (0.5 mm increments) 23,5 mm	329930 23,5
	329930 23

Clamping head smooth Clamping Ø (0.5 mm increments) 23 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 30 mm	329934 30
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 29,5 mm	329934 29,5
Clamping head smooth Clamping Ø (0.5 mm increments) 47 mm	329930 47
Clamping head smooth Clamping Ø (0.5 mm increments) 30 mm	329930 30
Clamping head smooth Clamping Ø (0.5 mm increments) 28,5 mm	329930 28,5
Clamping head smooth Clamping Ø (0.5 mm increments) 20,5 mm	329930 20,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 35 mm	329934 35
Clamping head smooth Clamping Ø (0.5 mm increments) 22,5 mm	329930 22,5
Clamping head smooth Clamping Ø (0.5 mm increments) 29 mm	329930 29
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 61,5 mm	329934 61,5
Clamping head smooth Clamping Ø (0.5 mm increments) 38 mm	329930 38
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 56,5 mm	329934 56,5
Clamping head smooth Clamping Ø (0.5 mm increments) 38,5 mm	329930 38,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 49 mm	329934 49
Clamping head smooth Clamping Ø (0.5 mm increments) 48,5 mm	329930 48,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 27,5 mm	329934 27,5
	329934 58,5

Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 58,5 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 17 mm	329934 17
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 25 mm	329934 25
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 8 mm	329932 8
Clamping head soft Initial bore Ø 5 mm	329936 5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 47 mm	329934 47
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 44 mm	329934 44
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 65 mm	329934 65
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 22,5 mm	329934 22,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 18,5 mm	329934 18,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 21,5 mm	329934 21,5
Clamping head smooth Clamping Ø (0.5 mm increments) 35,5 mm	329930 35,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 18 mm	329934 18
Clamping head smooth Clamping Ø (0.5 mm increments) 24,5 mm	329930 24,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 63,5 mm	329934 63,5
Clamping head smooth Clamping Ø (0.5 mm increments) 26,5 mm	329930 26,5
Clamping head smooth Clamping Ø (0.5 mm increments) 13 mm	329930 13
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 39,5 mm	329934 39,5

Clamping head smooth Clamping Ø (0.5 mm increments) 22 mm	329930 22
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 37,5 mm	329934 37,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 51,5 mm	329934 51,5
Clamping head smooth Clamping Ø (0.5 mm increments) 21,5 mm	329930 21,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 53 mm	329934 53
Clamping head smooth Clamping Ø (0.5 mm increments) 14,5 mm	329930 14,5
Clamping head smooth Clamping Ø (0.5 mm increments) 16 mm	329930 16
Clamping head smooth Clamping Ø (0.5 mm increments) 21 mm	329930 21
Clamping head smooth Clamping Ø (0.5 mm increments) 9,5 mm	329930 9,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 59,5 mm	329934 59,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 22 mm	329934 22
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 9 mm	329932 9
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 52 mm	329934 52
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 28 mm	329934 28
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 10 mm	329932 10
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 46 mm	329934 46
Clamping head soft Initial bore Ø 20 mm	329936 20
Clamping head smooth Clamping Ø (0.5 mm increments) 4 mm	329930 4

Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 61 mm	329934 61
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 31 mm	329934 31
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 63 mm	329934 63
Clamping head smooth Clamping Ø (0.5 mm increments) 15,5 mm	329930 15,5
Clamping head smooth Clamping Ø (0.5 mm increments) 8 mm	329930 8
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 62 mm	329934 62
Clamping head smooth Clamping Ø (0.5 mm increments) 46 mm	329930 46
Clamping head smooth Clamping Ø (0.5 mm increments) 56 mm	329930 56
Clamping head smooth Clamping Ø (0.5 mm increments) 65 mm	329930 65
Clamping head smooth Clamping Ø (0.5 mm increments) 33,5 mm	329930 33,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 32 mm	329934 32
Clamping head smooth Clamping Ø (0.5 mm increments) 14 mm	329930 14
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 12 mm	329934 12
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 51 mm	329934 51
Clamping head smooth Clamping Ø (0.5 mm increments) 11 mm	329930 11
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 64 mm	329934 64
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 38 mm	329934 38
	329934 60

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 60 mm

Clamping head smooth Clamping Ø (0.5 mm increments)
11,5 mm

329930 11,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 20,5 mm

329934 20,5

Clamping head smooth Clamping Ø (0.5 mm increments)
35 mm

329930 35

Clamping head smooth Clamping Ø (0.5 mm increments)
31 mm

329930 31

Clamping head smooth Clamping Ø (0.5 mm increments)
17 mm

329930 17

Clamping head smooth Clamping Ø (0.5 mm increments)
46,5 mm

329930 46,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 41,5 mm

329934 41,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 64,5 mm

329934 64,5

Clamping head smooth Clamping Ø (0.5 mm increments)
16,5 mm

329930 16,5

Clamping head smooth Clamping Ø (0.5 mm increments)
49 mm

329930 49

Clamping head smooth Clamping Ø (0.5 mm increments)
34,5 mm

329930 34,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 38,5 mm

329934 38,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 41 mm

329934 41

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 21 mm

329934 21

Clamping head smooth Clamping Ø (0.5 mm increments)
63 mm

329930 63

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 26,5 mm

329934 26,5

329930 33

Clamping head smooth Clamping Ø (0.5 mm increments) 33 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 26 mm	329934 26
Clamping head smooth Clamping Ø (0.5 mm increments) 56,5 mm	329930 56,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 14 mm	329934 14
Clamping head smooth Clamping Ø (0.5 mm increments) 45,5 mm	329930 45,5
Clamping head smooth Clamping Ø (0.5 mm increments) 60 mm	329930 60
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 8,5 mm	329932 8,5
Clamping head smooth Clamping Ø (0.5 mm increments) 12 mm	329930 12
Clamping head smooth Clamping Ø (0.5 mm increments) 27,5 mm	329930 27,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 39 mm	329934 39
Clamping head smooth Clamping Ø (0.5 mm increments) 58,5 mm	329930 58,5
Clamping head smooth Clamping Ø (0.5 mm increments) 25,5 mm	329930 25,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 48 mm	329934 48
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 37 mm	329934 37
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 50 mm	329934 50
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 54,5 mm	329934 54,5
Clamping head smooth Clamping Ø (0.5 mm increments) 44,5 mm	329930 44,5
Clamping head soft Initial bore Ø 40 mm	329936 40

Clamping head smooth Clamping Ø (0.5 mm increments) 39,5 mm	329930 39,5
Clamping head smooth Clamping Ø (0.5 mm increments) 19,5 mm	329930 19,5
Clamping head smooth Clamping Ø (0.5 mm increments) 32,5 mm	329930 32,5
Clamping head smooth Clamping Ø (0.5 mm increments) 17,5 mm	329930 17,5
Clamping head smooth Clamping Ø (0.5 mm increments) 63,5 mm	329930 63,5
Clamping head smooth Clamping Ø (0.5 mm increments) 12,5 mm	329930 12,5
Clamping head smooth Clamping Ø (0.5 mm increments) 57 mm	329930 57
Clamping head smooth Clamping Ø (0.5 mm increments) 31,5 mm	329930 31,5
Clamping head smooth Clamping Ø (0.5 mm increments) 25 mm	329930 25
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 23 mm	329934 23
Clamping head smooth Clamping Ø (0.5 mm increments) 5,5 mm	329930 5,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 36 mm	329934 36
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 30,5 mm	329934 30,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 19,5 mm	329934 19,5
Clamping head smooth Clamping Ø (0.5 mm increments) 29,5 mm	329930 29,5
Clamping head smooth Clamping Ø (0.5 mm increments) 41,5 mm	329930 41,5
Clamping head smooth Clamping Ø (0.5 mm increments) 7,5 mm	329930 7,5
	329930 30,5

Clamping head smooth Clamping Ø (0.5 mm increments) 30,5 mm	
Clamping head smooth Clamping Ø (0.5 mm increments) 13,5 mm	329930 13,5
Clamping head smooth Clamping Ø (0.5 mm increments) 62,5 mm	329930 62,5
Clamping head smooth Clamping Ø (0.5 mm increments) 55 mm	329930 55
Clamping head smooth Clamping Ø (0.5 mm increments) 60,5 mm	329930 60,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 57,5 mm	329934 57,5
Clamping head smooth Clamping Ø (0.5 mm increments) 36,5 mm	329930 36,5
Clamping head smooth Clamping Ø (0.5 mm increments) 9 mm	329930 9
Clamping head smooth Clamping Ø (0.5 mm increments) 39 mm	329930 39
Clamping head smooth Clamping Ø (0.5 mm increments) 36 mm	329930 36
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 58 mm	329934 58
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 11,5 mm	329934 11,5
Clamping head smooth Clamping Ø (0.5 mm increments) 6 mm	329930 6
Clamping head smooth Clamping Ø (0.5 mm increments) 52,5 mm	329930 52,5
Clamping head smooth Clamping Ø (0.5 mm increments) 37,5 mm	329930 37,5
Clamping head smooth Clamping Ø (0.5 mm increments) 50 mm	329930 50
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 46,5 mm	329934 46,5
	329930 45

Clamping head smooth Clamping Ø (0.5 mm increments) 45 mm	
Clamping head smooth Clamping Ø (0.5 mm increments) 47,5 mm	329930 47,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 42 mm	329934 42
Clamping head smooth Clamping Ø (0.5 mm increments) 50,5 mm	329930 50,5
Clamping head smooth Clamping Ø (0.5 mm increments) 49,5 mm	329930 49,5
Clamping head smooth Clamping Ø (0.5 mm increments) 51,5 mm	329930 51,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 36,5 mm	329934 36,5
Changeover device, manual, for MANOK plus Type / size SE65	329965 SE65