

**Stationary chuck MANOK plus, Type / size: SE65****Order data**

Order number	329960 SE65
GTIN	2050001926005
Item class	33H

Description**Version:**

Stationary chuck of solid cast. High clamping force, precision, and stiffness. Ground face for horizontal mounting, integral stop. Clamping heads for special profiles to your individual requirements on request.

Application:

Versatile application e. g. machining centres, measuring machines, pillar drills etc.

Suitable for :

Clamping heads No. 329970 – 329976.

Supplied with:

Including 1 chuck key.

Weight: 23.5 kg

Technical description

Weight	23.5 kg
Height H	120 mm
Width B	184 mm
Length L	184 mm

Arbor size	SE65
Pitch circle Ø	126 mm
Repetition accuracy	0.01 mm
maximum clamping force	45 kN
Spacing of attachment holes	126 mm
Clamping range	4 - 65 mm
Slot size tolerance	20 H7
Depth stop	92 mm
Type of product	Vice

Accessories

Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 41,5 mm	329974 41,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 51 mm	329974 51
Clamping head smooth Clamping Ø (0.5 mm increments) 45,5 mm	329970 45,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 62,5 mm	329974 62,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 34 mm	329974 34
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 39,5 mm	329974 39,5
Clamping head smooth Clamping Ø (0.5 mm increments) 49 mm	329970 49
Clamping head smooth Clamping Ø (0.5 mm increments) 50,5 mm	329970 50,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 61 mm	329974 61
Clamping head smooth Clamping Ø (0.5 mm increments) 64 mm	329970 64

Clamping head smooth Clamping Ø (0.5 mm increments) 41 mm	329970 41
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 37,5 mm	329974 37,5
Clamping head smooth Clamping Ø (0.5 mm increments) 35,5 mm	329970 35,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 28,5 mm	329974 28,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 27 mm	329974 27
Clamping head smooth Clamping Ø (0.5 mm increments) 10 mm	329970 10
Clamping head smooth Clamping Ø (0.5 mm increments) 64,5 mm	329970 64,5
Clamping head smooth Clamping Ø (0.5 mm increments) 29 mm	329970 29
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 33 mm	329974 33
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 37 mm	329974 37
Clamping head smooth Clamping Ø (0.5 mm increments) 16,5 mm	329970 16,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 40,5 mm	329974 40,5
Clamping head smooth Clamping Ø (0.5 mm increments) 30 mm	329970 30
Clamping head smooth Clamping Ø (0.5 mm increments) 54,5 mm	329970 54,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 57,5 mm	329974 57,5
Clamping head smooth Clamping Ø (0.5 mm increments) 60,5 mm	329970 60,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 25 mm	329974 25
	329974 43,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 43,5 mm

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 55 mm

329974 55

Clamping head smooth Clamping Ø (0.5 mm increments)
55 mm

329970 55

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 28 mm

329974 28

Clamping head smooth Clamping Ø (0.5 mm increments)
50 mm

329970 50

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 61,5 mm

329974 61,5

Clamping head smooth Clamping Ø (0.5 mm increments)
37 mm

329970 37

Clamping head smooth Clamping Ø (0.5 mm increments)
22,5 mm

329970 22,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 26 mm

329974 26

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 60,5 mm

329974 60,5

Clamping head smooth Clamping Ø (0.5 mm increments)
11,5 mm

329970 11,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 14 mm

329974 14

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 15 mm

329974 15

Clamping head smooth Clamping Ø (0.5 mm increments)
21,5 mm

329970 21,5

Clamping head smooth Clamping Ø (0.5 mm increments) 9
mm

329970 9

Clamping head smooth Clamping Ø (0.5 mm increments)
44,5 mm

329970 44,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 58 mm

329974 58

329970 26,5

Clamping head smooth Clamping Ø (0.5 mm increments) 26,5 mm	
Clamping head smooth Clamping Ø (0.5 mm increments) 34 mm	329970 34
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 44 mm	329974 44
Clamping head smooth Clamping Ø (0.5 mm increments) 62 mm	329970 62
Clamping head smooth Clamping Ø (0.5 mm increments) 46,5 mm	329970 46,5
Clamping head smooth Clamping Ø (0.5 mm increments) 19,5 mm	329970 19,5
Clamping head smooth Clamping Ø (0.5 mm increments) 8,5 mm	329970 8,5
Clamping head smooth Clamping Ø (0.5 mm increments) 7,5 mm	329970 7,5
Clamping head smooth Clamping Ø (0.5 mm increments) 58 mm	329970 58
Clamping head smooth Clamping Ø (0.5 mm increments) 63,5 mm	329970 63,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 31,5 mm	329974 31,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 16,5 mm	329974 16,5
Clamping head smooth Clamping Ø (0.5 mm increments) 43 mm	329970 43
Clamping head smooth Clamping Ø (0.5 mm increments) 16 mm	329970 16
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 46,5 mm	329974 46,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 55,5 mm	329974 55,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 18 mm	329974 18
	329970 33

Clamping head smooth Clamping Ø (0.5 mm increments) 33 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 50,5 mm	329974 50,5
Clamping head smooth Clamping Ø (0.5 mm increments) 5,5 mm	329970 5,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 38 mm	329974 38
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 65 mm	329974 65
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 9 mm	329972 9
Clamping head smooth Clamping Ø (0.5 mm increments) 54 mm	329970 54
Clamping head smooth Clamping Ø (0.5 mm increments) 47 mm	329970 47
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 22,5 mm	329974 22,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 46 mm	329974 46
Clamping head smooth Clamping Ø (0.5 mm increments) 31,5 mm	329970 31,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 18,5 mm	329974 18,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 40 mm	329974 40
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 29,5 mm	329974 29,5
Clamping head smooth Clamping Ø (0.5 mm increments) 20,5 mm	329970 20,5
Clamping head smooth Clamping Ø (0.5 mm increments) 28,5 mm	329970 28,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 19 mm	329974 19
	329970 42,5

Clamping head smooth Clamping Ø (0.5 mm increments) 42,5 mm	
Clamping head smooth Clamping Ø (0.5 mm increments) 53 mm	329970 53
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 47,5 mm	329974 47,5
Clamping head smooth Clamping Ø (0.5 mm increments) 32 mm	329970 32
Clamping head smooth Clamping Ø (0.5 mm increments) 13,5 mm	329970 13,5
Clamping head smooth Clamping Ø (0.5 mm increments) 51,5 mm	329970 51,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 36,5 mm	329974 36,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 58,5 mm	329974 58,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 13,5 mm	329974 13,5
Clamping head smooth Clamping Ø (0.5 mm increments) 53,5 mm	329970 53,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 15,5 mm	329974 15,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 11,5 mm	329974 11,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 64,5 mm	329974 64,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 42,5 mm	329974 42,5
Clamping head smooth Clamping Ø (0.5 mm increments) 23,5 mm	329970 23,5
Clamping head soft Initial bore Ø 40 mm	329976 40
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 44,5 mm	329974 44,5
Clamping head smooth Clamping Ø (0.5 mm increments) 24,5 mm	329970 24,5

Clamping head smooth Clamping Ø (0.5 mm increments) 57,5 mm	329970 57,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 41 mm	329974 41
Clamping head smooth Clamping Ø (0.5 mm increments) 59 mm	329970 59
Clamping head smooth Clamping Ø (0.5 mm increments) 43,5 mm	329970 43,5
Clamping head smooth Clamping Ø (0.5 mm increments) 11 mm	329970 11
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 24 mm	329974 24
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 64 mm	329974 64
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 47 mm	329974 47
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 36 mm	329974 36
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 23 mm	329974 23
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 12 mm	329974 12
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 21 mm	329974 21
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 20,5 mm	329974 20,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 13 mm	329974 13
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 48,5 mm	329974 48,5
Clamping head smooth Clamping Ø (0.5 mm increments) 25,5 mm	329970 25,5
Clamping head smooth Clamping Ø (0.5 mm increments) 59,5 mm	329970 59,5
	329974 57

Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 57 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 53,5 mm	329974 53,5
Clamping head smooth Clamping Ø (0.5 mm increments) 39 mm	329970 39
Clamping head smooth Clamping Ø (0.5 mm increments) 30,5 mm	329970 30,5
Clamping head soft Initial bore Ø 8 mm	329976 8
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 32,5 mm	329974 32,5
Clamping head smooth Clamping Ø (0.5 mm increments) 45 mm	329970 45
Clamping head smooth Clamping Ø (0.5 mm increments) 56 mm	329970 56
Clamping head smooth Clamping Ø (0.5 mm increments) 27,5 mm	329970 27,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 50 mm	329974 50
Clamping head smooth Clamping Ø (0.5 mm increments) 17 mm	329970 17
Clamping head soft Initial bore Ø 20 mm	329976 20
Clamping head smooth Clamping Ø (0.5 mm increments) 40,5 mm	329970 40,5
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 10 mm	329972 10
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 42 mm	329974 42
Clamping head smooth Clamping Ø (0.5 mm increments) 27 mm	329970 27
Clamping head smooth Clamping Ø (0.5 mm increments) 44 mm	329970 44
Clamping head soft Initial bore Ø 5 mm	329976 5
Clamping head smooth Clamping Ø (0.5 mm increments) 4,5 mm	329970 4,5

Clamping head smooth Clamping Ø (0.5 mm increments) 38 mm	329970 38
Clamping head smooth Clamping Ø (0.5 mm increments) 62,5 mm	329970 62,5
Clamping head smooth Clamping Ø (0.5 mm increments) 47,5 mm	329970 47,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 27,5 mm	329974 27,5
Clamping head smooth Clamping Ø (0.5 mm increments) 36 mm	329970 36
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 53 mm	329974 53
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 59 mm	329974 59
Clamping head smooth Clamping Ø (0.5 mm increments) 52 mm	329970 52
Clamping head smooth Clamping Ø (0.5 mm increments) 57 mm	329970 57
Clamping head smooth Clamping Ø (0.5 mm increments) 18 mm	329970 18
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 30 mm	329974 30
Clamping head smooth Clamping Ø (0.5 mm increments) 12 mm	329970 12
Clamping head smooth Clamping Ø (0.5 mm increments) 10,5 mm	329970 10,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 20 mm	329974 20
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 49,5 mm	329974 49,5
Clamping head smooth Clamping Ø (0.5 mm increments) 19 mm	329970 19
Clamping head smooth Clamping Ø (0.5 mm increments) 52,5 mm	329970 52,5
	329970 33,5

Clamping head smooth Clamping Ø (0.5 mm increments) 33,5 mm	
Clamping head smooth Clamping Ø (0.5 mm increments) 60 mm	329970 60
Clamping head smooth Clamping Ø (0.5 mm increments) 15,5 mm	329970 15,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 45,5 mm	329974 45,5
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 8 mm	329972 8
Clamping head smooth Clamping Ø (0.5 mm increments) 32,5 mm	329970 32,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 35,5 mm	329974 35,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 52 mm	329974 52
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 23,5 mm	329974 23,5
Clamping head smooth Clamping Ø (0.5 mm increments) 8 mm	329970 8
Clamping head smooth Clamping Ø (0.5 mm increments) 42 mm	329970 42
Clamping head smooth Clamping Ø (0.5 mm increments) 31 mm	329970 31
Clamping head smooth Clamping Ø (0.5 mm increments) 58,5 mm	329970 58,5
Clamping head smooth Clamping Ø (0.5 mm increments) 12,5 mm	329970 12,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 59,5 mm	329974 59,5
Clamping head smooth Clamping Ø (0.5 mm increments) 49,5 mm	329970 49,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 21,5 mm	329974 21,5
	329970 40

Clamping head smooth Clamping Ø (0.5 mm increments) 40 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 31 mm	329974 31
Clamping head smooth Clamping Ø (0.5 mm increments) 23 mm	329970 23
Clamping head smooth Clamping Ø (0.5 mm increments) 14 mm	329970 14
Clamping head smooth Clamping Ø (0.5 mm increments) 24 mm	329970 24
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 38,5 mm	329974 38,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 49 mm	329974 49
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 56,5 mm	329974 56,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 17 mm	329974 17
Clamping head smooth Clamping Ø (0.5 mm increments) 15 mm	329970 15
Clamping head smooth Clamping Ø (0.5 mm increments) 61 mm	329970 61
Clamping head smooth Clamping Ø (0.5 mm increments) 39,5 mm	329970 39,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 45 mm	329974 45
Clamping head smooth Clamping Ø (0.5 mm increments) 9,5 mm	329970 9,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 32 mm	329974 32
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 30,5 mm	329974 30,5
Clamping head smooth Clamping Ø (0.5 mm increments) 34,5 mm	329970 34,5
	329974 35

Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 35 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 16 mm	329974 16
Clamping head smooth Clamping Ø (0.5 mm increments) 63 mm	329970 63
Clamping head smooth Clamping Ø (0.5 mm increments) 22 mm	329970 22
Clamping head smooth Clamping Ø (0.5 mm increments) 7 mm	329970 7
Clamping head smooth Clamping Ø (0.5 mm increments) 26 mm	329970 26
Clamping head smooth Clamping Ø (0.5 mm increments) 55,5 mm	329970 55,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 14,5 mm	329974 14,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 34,5 mm	329974 34,5
Clamping head smooth Clamping Ø (0.5 mm increments) 25 mm	329970 25
Clamping head smooth Clamping Ø (0.5 mm increments) 48,5 mm	329970 48,5
Clamping head smooth Clamping Ø (0.5 mm increments) 13 mm	329970 13
Clamping head smooth Clamping Ø (0.5 mm increments) 61,5 mm	329970 61,5
Clamping head with transverse serrations. Clamping Ø (0.5 mm increments) 8,5 mm	329972 8,5
Clamping head smooth Clamping Ø (0.5 mm increments) 28 mm	329970 28
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 52,5 mm	329974 52,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 48 mm	329974 48
	329970 48

Clamping head smooth Clamping Ø (0.5 mm increments) 48 mm	
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 63,5 mm	329974 63,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 33,5 mm	329974 33,5
Clamping head smooth Clamping Ø (0.5 mm increments) 4 mm	329970 4
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 12,5 mm	329974 12,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 63 mm	329974 63
Clamping head smooth Clamping Ø (0.5 mm increments) 20 mm	329970 20
Clamping head smooth Clamping Ø (0.5 mm increments) 35 mm	329970 35
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 24,5 mm	329974 24,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 19,5 mm	329974 19,5
Clamping head smooth Clamping Ø (0.5 mm increments) 46 mm	329970 46
Clamping head smooth Clamping Ø (0.5 mm increments) 51 mm	329970 51
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 54,5 mm	329974 54,5
Clamping head smooth Clamping Ø (0.5 mm increments) 37,5 mm	329970 37,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 51,5 mm	329974 51,5
Clamping head with transverse and longitudinal serrations Clamping Ø (0.5 mm increments) 56 mm	329974 56
Clamping head smooth Clamping Ø (0.5 mm increments) 36,5 mm	329970 36,5
	329974 25,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 25,5 mm

Clamping head with transverse serrations. Clamping \varnothing (0.5 mm increments) 9,5 mm

329972 9,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 54 mm

329974 54

Clamping head smooth Clamping \varnothing (0.5 mm increments)
17,5 mm

329970 17,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 60 mm

329974 60

Clamping head smooth Clamping \varnothing (0.5 mm increments)
56,5 mm

329970 56,5

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 39 mm

329974 39

Clamping head smooth Clamping \varnothing (0.5 mm increments)
21 mm

329970 21

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 26,5 mm

329974 26,5

Clamping head smooth Clamping \varnothing (0.5 mm increments) 6
mm

329970 6

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 29 mm

329974 29

Clamping head with transverse and longitudinal serrations
Clamping \varnothing (0.5 mm increments) 11 mm

329974 11

Clamping head smooth Clamping \varnothing (0.5 mm increments) 5
mm

329970 5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
18,5 mm

329970 18,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
6,5 mm

329970 6,5

Clamping head smooth Clamping \varnothing (0.5 mm increments)
65 mm

329970 65

Clamping head smooth Clamping \varnothing (0.5 mm increments)
38,5 mm

329970 38,5

329974 43

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 43 mm

Clamping head smooth Clamping Ø (0.5 mm increments)
29,5 mm

329970 29,5

Clamping head smooth Clamping Ø (0.5 mm increments)
14,5 mm

329970 14,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 17,5 mm

329974 17,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 22 mm

329974 22

Clamping head smooth Clamping Ø (0.5 mm increments)
41,5 mm

329970 41,5

Clamping head with transverse and longitudinal serrations
Clamping Ø (0.5 mm increments) 62 mm

329974 62

Changeover device, manual, for MANOK plus Type / size
SE65

329965 SE65