

Mitutoyo
Vernier caliper, Measuring range: 150HM mm

Order data

Order number	410300 150HM
GTIN	4946368110400
Item class	44A

Description
Version:

Satin chromium plated anti-glare scales.

Fine, high-contrast scale.

Locking screw at the top.

Without inch graduation.

Precision ground measuring faces. With **carbide** tipped jaws.

Thread table: Calipers table

Standard: DIN 862

Packaging: Wallet

Calibration: A1

Scale divisions: 0.05 mm

Graduation: 1/20 mm

Error limit: 0.05 mm

Jaw length: 40 mm

Technical description

Jaw length	40 mm
Measuring range	0 - 150 mm
Calibration	A1
Length of cross tips	17 mm
Scale divisions	0.05 mm
Measurement face	Carbide-tipped anvils

Packaging	Wallet
Graduation	1/20 mm
Error limit	0.05 mm
Standard	DIN 862
Weight	145 g
Scale chrome plated	yes
Depth gauge available	yes
Depth gauge	flat
Locking	Locking screw at top
Guidance	Raised slides
Measurement technology	analogue
Material	Stainless steel, INOX
all parts	hardened
Thread table	Calipers table
Type of product	Vernier caliper standard

Services

Calibration Calipers / depth gauges maximum measuring range 200 mm	011030 200
Labelling laser-etched Type	018940
DAkkS calibration Calipers / depth gauges maximum measuring range 200 mm	011050 200
DAkkS calibration Calipers / depth gauges maximum measuring range 200 mm	021010 200
Calibration Calipers / depth gauges maximum measuring range 200 mm	021000 200

Accessories

Depth gauge holder, metal with 2 screws	412120
Table for calipers	412180

Plastic case Type MS150	412470 MS150
Plastic case Type MS150	412468 MS150
Synthetic leather case for vernier calipers	412500
Locking screw M2.6	410410