



Digital caliper MarCal i-wi with measuring tips, Measuring range: 500 mm



Order data

Order number	415321 500
GTIN	4059192062101
Item class	43A

Description

Version:

Direct reading from large and clear digital display. Precision lapped measuring faces.

Perforated measurement jaws.

Function:

IP65: Protected against jets of water from all directions and protected against penetration by dust (dust-tight), also completely protected against touching.

Supplied with:

1 battery No. 081560 size CR2032.

Optional extras:

Data cable No. 498940.

i-wi radio receiver No. 498912

Packaging: sturdy box

Reversible reading: mm / inch

IP Index of Protection: IP 65

Calibration: A1

Scale divisions: 0.01 mm

Scale divisions: 0.0005 inch

Error limit: 0.04 mm

Jaw length: 150 mm

Internal jaw \varnothing : 20 mm

Technical description

Error limit	0.04 mm
-------------	---------

Jaw length	150 mm
Scale divisions	0.0005 inch
Reversible reading	mm / inch
Number of batteries contained	1
Scale divisions	0.01 mm
Calibration	A1
Article no of the battery / rechargeable battery fitted	081560 CR2032
Measuring range	0 - 500 mm
Internal jaw Ø	20 mm
IP Index of Protection	IP 65
Power supply	Battery-powered
Standard	Manufacturer's standard
Interface	MAHR i-wi radio system
Measured value saving	MAHR reference-lock system
Measurement technology	digital
Material	Stainless steel, INOX
all parts	hardened
Packaging	sturdy box
Type of product	Workshop calipers

Services

DAkKS calibration Calipers / depth gauges maximum measuring range 500 mm	011050 500
Labelling laser-etched Type	018940
Calibration Calipers / depth gauges maximum measuring range 500 mm	011030 500

Accessories

Connecting cable with data key Type D2	498940 D2
Connecting cable with data key Type R2	498940 R2

Connecting cable with data key Type USB2	498940 USB2
Button cell / special battery Battery type CR2032	081560 CR2032