



## i-wi digital universal caliper set IP 67, Measuring range: 200 mm



### Order data

Order number	415552 200
GTIN	4059192057305
Item class	43A

### Description

#### Version:

Digital universal caliper for a wide variety of internal and external measurements (recesses, grooves, threads etc.).

Digital universal caliper with integral i-wi wireless data interface.

#### Function:

IP67: Protected against intermittent immersion in water and protected against penetration by dust (dust-tight), also completely protected against touching.

#### Supplied with:

Caliper, depth extension base No. 415556, setting gauge No. 415557, measuring force adjusting device No. 415558, 6 pairs of measuring tips for internal and external measurements, 1 battery No. 081560 size CR2032.

#### Optional extras:

i-wi radio receiver No. 498912

IP Index of Protection: IP 67

Scale divisions: 0.01 mm

Error limit: 0.03 mm

Jaw length: 48 mm

### Technical description

Number of batteries contained	1
Article no of the battery / rechargeable battery fitted	081560 CR2032
Jaw length	48 mm

Scale divisions	0.01 mm
Error limit	0.03 mm
Measuring range	0 - 200 mm
IP Index of Protection	IP 67
Power supply	Battery-powered
Standard	DIN 862
Reversible reading	mm / inch
Interface	Digimatic interface
Interface	RS232C interface
Interface	USB interface
Interface	MAHR i-wi radio system
Measured value saving	MAHR Reference Lock system
Measurement technology	digital
Material	Stainless steel, INOX
all parts	hardened
Packaging	sturdy box
Calibration	A1
Calibration	C8
Type of product	Universal standard caliper

## Services

Calibration Calipers / depth gauges maximum measuring range 200 mm	011030 200
DAkkS calibration Calipers / depth gauges maximum measuring range 200 mm	011050 200
Calibration Measurement head Type MS	012580 MS
Labelling laser-etched Type	018940

## Accessories

Button cell / special battery Battery type CR2032	081560 CR2032
---	---------------

Depth gauge base 75×7 mm Type 75X7	415556 75X7
Setting gauge for internal measurements 50 mm Type 50	415557 50
Gauging force adjustment device Type M	415558 M