



## Digital universal caliper, Measuring range: 400 mm



### Order data

Order number	417700 400
GTIN	2050001778031
Item class	46P

### Description

#### Version:

Digital universal caliper for a variety of internal and external measurements, with exchangeable measuring tips.

#### Function:

IP67: Protected against intermittent immersion in water and protected against penetration by dust (dust-tight), also completely protected against touching.

#### Supplied with:

Digital caliper including 1 battery No. 081560 size CR2032. Interchangeable measuring tips with ball  $\varnothing$  3 mm and clamping sleeve with M2.5 internal thread.

#### Optional extras:

For size 400 - 650 all replacement and special contact points No. 434900 - 4910 with M2.5 thread can be used, data cable No. 498948.

#### Note:

Other measuring tips on request.

IP Index of Protection: IP 67

Calibration: A1

Measuring range outside: 0 - 320 mm

Measuring range inside: 42 - 400 mm

Scale divisions: 0.01 mm

Error limit: 0.03 mm

Jaw length: 103 mm

Ball  $\varnothing$  measuring tips: 3 mm

### Technical description

Measuring range outside	0 - 320 mm
-------------------------	------------

Jaw length	103 mm
Measuring range	0 - 400 mm
Calibration	A1
IP Index of Protection	IP 67
Ball Ø measuring tips	3 mm
Measuring range inside	42 - 400 mm
Scale divisions	0.01 mm
Error limit	0.03 mm
Number of batteries contained	1
Article no of the battery / rechargeable battery fitted	081560 CR2032
Power supply	Battery-powered
Standard	Manufacturer's standard
Reversible reading	mm / inch
Interface	USB interface
Interface	RS232 interface
Measurement technology	digital
Material	Stainless steel, INOX
all parts	hardened
Packaging	sturdy box
Type of product	Universal caliper

## Services

Calibration Calipers / depth gauges maximum measuring range 500 mm	011030 500
Labelling laser-etched Type	018940
DAkkS calibration Calipers / depth gauges maximum measuring range 500 mm	011050 500

## Accessories

Button cell / special battery Battery type CR2032	081560 CR2032
---	---------------

Connecting cable Type R2	498948 R2
Carbide contact point Type 18/3	434910 18/3
Steel contact point Type 18/3	434900 18/3
Connecting cable Type USB2	498948 USB2
Accessories for calipers Type TAST	417701 TAST
Accessories for calipers Type BUCHSE	417701 BUCHSE