

HOLEX®
External micrometer with disc anvils and non-rotating spindle, Measuring range: 0-25 mm

Order data

Order number	423005 0-25
GTIN	4062406237752
Item class	42B

Description
Version:

With large-area, hardened disc anvils. Forged and enamelled frame.
Design with non-rotating spindle.

Application:

For determining the tooth widths of spur and helical gears from module 0.8.

Supplied with:

From size 25-50 including 1 setting standard.

Packaging: sturdy box

Micrometer barrel graduations: 1/50 mm

Calibration: B1

Scale divisions: 0.01 mm

Parallelism of the measuring faces: 5 µm

Spindle Ø: 8 mm

Spindle pitch: 0.5 mm

Disc anvil Ø: 19.5 mm

Technical description

Disc anvil Ø	19.5 mm
Micrometer barrel graduations	1/50 mm
Scale divisions	0.01 mm

Calibration	B1
Spindle Ø	8 mm
Measuring range	0 - 25 mm
Parallelism of the measuring faces	5 µm
Spindle pitch	0.5 mm
Standard	DIN 863
Measurement technology	analogue
Packaging	sturdy box
Type of product	Special external micrometer

Services

DAkkS calibration External micrometer maximum measuring range 100 mm	012060 100
Calibration External tube micrometer maximum measuring range 25 mm	012050 25
Labelling laser-etched Type	018940