

**HOLEX®**

## External micrometer with disc anvils and non-rotating spindle, Measuring range: 50-75 mm



### Order data

Order number	423005 50-75
GTIN	4062406237776
Item class	42B

### Description

#### Version:

With large-area, hardened disc anvils. Forged and enamelled frame.  
Design with non-rotating spindle.

#### Application:

For determining the tooth widths of spur and helical gears from module 0.8.

#### Supplied with:

From size 25-50 including 1 setting standard.

Packaging: sturdy box

Micrometer barrel graduations: 1/50 mm

Calibration: B2

Calibration: B1

Scale divisions: 0.01 mm

Parallelism of the measuring faces: 5 µm

Spindle Ø: 8 mm

Spindle pitch: 0.5 mm

Disc anvil Ø: 19.5 mm

### Technical description

Parallelism of the measuring faces	5 µm
Disc anvil Ø	19.5 mm
Scale divisions	0.01 mm

Calibration	B2
Calibration	B1
Micrometer barrel graduations	1/50 mm
Spindle Ø	8 mm
Spindle pitch	0.5 mm
Measuring range	50 - 75 mm
Standard	DIN 863
Measurement technology	analogue
Packaging	sturdy box
Type of product	Special external micrometer

## Services

Calibration Micrometer standard for external micrometer maximum nominal size 100 mm	012110 100
Calibration External tube micrometer maximum measuring range 100 mm	012050 100
DAkkS calibration External micrometer maximum measuring range 100 mm	012060 100
Labelling laser-etched Type	018940

## Accessories

Micrometer setting standard overall length 50 mm	421100 50
--	-----------