

**Mitutoyo**
**Digital depth micrometer with data output, Measuring range: 0-150 mm**

**Order data**

Order number	425400 0-150
GTIN	4946368695846
Item class	44A

**Description**
**Version:**

**Various measuring depths can be achieved by exchanging the measuring pins with 25 mm increments.** Measuring spindle fully hardened and ground. Base of hardened tool steel with lapped measuring anvil. Micrometer satin chrome-plated. Barrel with clearly engraved black scale and numerals. Constant measuring force due to integral ratchet.

**Callout:**
**Data storage button:**

The measurement result can be stored by pressing a button. (E.g. If the measurement position is awkward).

**Zero point / absolute size:**

Enables zeroing at any position. Absolute zeroing is restored by pressing the button again.

**Preset button:**

For "zeroing". This setting is retained after switching off the display.

**Supplied with:**

Measuring pins and 1 battery No. 081560 size 357.

**Optional extras:**

Data cable No. 497445.

Calibration: S15

Scale divisions: 0.001 mm

Measuring needle Ø: 4 mm

Bridge length: 100 mm  
Number of gauging pins: 6

## Technical description

Number of gauging pins	6
Bridge length	100 mm
Measuring range	0 - 150 mm
Measuring needle $\varnothing$	4 mm
Scale divisions	0.001 mm
Article no of the battery / rechargeable battery fitted	081560 357
Number of batteries contained	1
Power supply	Battery-powered
Standard	Manufacturer's standard
Interface	Digimatic interface
Interface	USB interface
Measurement technology	digital
Packaging	sturdy box
Calibration	S15
Type of product	Depth micrometer

## Services

Calibration Depth micrometer set Measuring range 0-150 mm	011080 0-150
Labelling laser-etched Type	018940
Calibration Depth micrometer set Measuring range 0-150 mm	020780 0-150

## Accessories

Transmitter Type S16E	498966 S16E
Connecting cable with data switch Type USB2	497445 USB2

Connecting cable with data switch Type D1	497445 D1
Multi-receiver / USB keyboard interface Type	498975
Button cell / special battery Battery type 357	081560 357
Receiver / USB keyboard interface Type	498965
Connecting cable with data switch Type D2	497445 D2