Mahr

Multimar universal measuring instrument, Measuring range: 260-615 mm



Order data

| Order number | 428051 260-615 |
|--------------|----------------|
| GTIN | 4059192024918 |
| Item class | 43A |

Description

Version:

Strong tubular structure, ground and hard chrome-plated. Two caliper jaws for holding various measuring tips. Measuring range can be extended by 75 mm by reversing the caliper jaws. Can be used with any dial indicator or precision dial indicator with shank Ø 8 h 6 mm (supplied without dial indicator).

- High measuring reliability and repetition accuracy thanks to high-precision ball bearing guide.
- Heat protection handles
- $\cdot\,$ Gauging force direction selectable for external and internal measurement.
- · Constant gauging force ensured by built-in gauging force spring.
- Movable measuring arm mounted on high-precision ball track for low play and low friction.
- · Strong pillars, ground and chrome-plated.
- Easy assembly using base and mounting blocks.

Application:

- External and internal dimensions.
- · External and internal threads.
- · Centring rings
- Narrow shoulders, recesses and slots.
- External and internal cones.
- · External and internal splines, and much more.

Note:

Up to measuring range 2500 mm available with CFK lightweight tube on request.

Calibration: A3

Span of measurement: 12 mm

Application range internal: 260 - 615 mm

Application range external: 230 - 585 mm

Technical description

| Measuring range | 260 - 615 mm |
|----------------------------|----------------------|
| Application range external | 230 - 585 mm |
| Application range internal | 260 - 615 mm |
| Span of measurement | 12 mm |
| Packaging | sturdy box |
| Calibration | A3 |
| Type of product | universal gauge unit |

Services

| Calibration Universal caliper maximum measuring range 600 mm | 011300 600 |
|---|------------|
| Labelling laser-etched Type | 018940 |
| Calibration Universal caliper maximum measuring range 600 mm | 021400 600 |

Accessories

| External measuring tip flat Ø 7.5 mm, 1 piece | 428130 |
|---|------------|
| Pair of caliper jaws with bore Type B | 428141 B |
| Pair of measuring arms with bore \varnothing 3.5 mm Throat 100 mm | 428101 100 |
| Pair of flat shoulder anvils for external measurements | 428160 |
| Pair of measuring arms with bore \varnothing 3.5 mm Throat 25 mm | 428101 25 |
| Pair of semi-cylindrical shoulder anvils for internal measurements | 428170 |
| Pair of caliper jaws with bore Type A | 428141 A |
| Pair of measuring arms with bore \varnothing 3.5 mm Throat 70 mm | 428101 70 |
| Pair of measuring arms with bore \varnothing 3.5 mm Throat 35 mm | 428101 35 |
| Internal measuring tip spherical Ø 7.5 mm, 1 piece | 428120 |

| Pair of depth stops for measuring arms | 428111 |
|--|--------|
| | |