



## Internal micrometer, Measuring range: 30-40 mm



### Order data

Order number	428990 30-40
GTIN	4045197274243
Item class	42B

### Description

#### Version:

Satin chrome plated scales and operating parts  
(from  $\varnothing$  12 with carbide jaws).

Self-centring micrometer head with 3 measuring jaws  
(from  $\varnothing$  12 with carbide jaws).

#### Supplied with:

Setting ring (for adjustment) and extension.

#### Optional extras:

Extension No. 428993, setting rings No. 484030.

Calibration: M3

Scale divisions: 0.005 mm

Error limit: 0.006 mm

Dimension a: 0.5 mm

Standard measuring depth: 97 mm

Setting ring  $\varnothing$ : 40 mm

### Technical description

Measuring range	30 - 40 mm
Dimension a	0.5 mm
Standard measuring depth	97 mm
Measuring depth with extension	247 mm
Setting ring $\varnothing$	40 mm
Error limit	0.006 mm

Scale divisions	0.005 mm
Standard	Manufacturer's standard
Micrometer barrel graduations	1/50 mm
Measurement technology	analogue
Packaging	sturdy box
Calibration	B6
Calibration	M3
Type of product	3-point internal micrometer

### Services

Calibration 3-point inside micrometer maximum measuring range 50 mm	012900 50
Calibration Setting ring maximum $\varnothing$ 50 mm	018430 50
Labelling laser-etched Type	018940
DAkkS calibration Setting ring maximum $\varnothing$ 200 mm	019660 200
Calibration 3-point inside micrometer maximum measuring range 50 mm	022500 50
DAkkS calibration Setting ring maximum $\varnothing$ 200 mm	028470 200
Calibration Setting ring maximum $\varnothing$ 50 mm	028400 50

### Accessories

Setting ring DIN 2250 C Nominal size $\varnothing$ 36 mm	484030 36
Extension for internal micrometer Type 30-50	428993 30-50
Setting ring DIN 2250 C Nominal size $\varnothing$ 35 mm	484030 35
Setting ring DIN 2250 C Nominal size $\varnothing$ 40 mm	484030 40
Setting ring DIN 2250 C Nominal size $\varnothing$ 34 mm	484030 34
Setting ring DIN 2250 C Nominal size $\varnothing$ 30 mm	484030 30
Setting ring DIN 2250 C Nominal size $\varnothing$ 38 mm	484030 38