



Magnetic measuring stand with fine adjustment at the magnetic base, Type: 290



Order data

Order number	441 170 290
GTIN	7290005397363
Item class	46G

Description

Version:

Mechanical magnetic measuring stand with central locking mechanism. All three joints are clamped in a single action. Continuously adjustable clamping force with high stability. Ball joints enable quick and easy positioning. Magnetic base with rotary switch and Vee sole. Standard indicator holder for clamping shank \varnothing 8 mm and dovetail, magnetic base with fine adjustment.

Callout:

Fine adjustment at the magnetic base

Length of jointed arm L_1 : 133 mm

Length of jointed arm L_2 : 113 mm

Connection thread at bottom: M8

Magnetic force: 800 N

maximum loading: 8 kg

Magnetic base length: 60 mm

Technical description

Magnetic force	800 N
Magnetic base height	55 mm
Magnetic base width	50 mm
Length of jointed arm L ₁	133 mm
Length of jointed arm L ₂	113 mm
maximum loading	8 kg
Throat	317 mm
Magnetic base length	60 mm
Connection thread at bottom	M8
Type of product	Measuring stand, mechanical

Accessories

Holder for measuring stand Type CA	442100 CA
Stand base Type 1	442120 1
Stand base Type 1	442140 1
Stand base with fine adjustment Type 0	442125 0
Holder for measuring stand Type K2	442100 K2
3-D jointed arm Type 290	442114 290
Stand base Type 0	442140 0
Holder for measuring stand Type K1	442100 K1
Stand base Type V	442120 V
Stand base Type K3	442120 K3
Holder for measuring stand Type H	442100 H
3-D jointed arm Type 290	442110 290
Holder for measuring stand Type 2SM	442100 2SM
Holder for measuring stand Type 2SM	442104 2SM
Stand base Type 1	440868 1
Stand base Type 0	442120 0

Holder for measuring stand Type QR	442100 QR
Vario dial indicator holder Type FA1100	440401 FA1100